

Hoch

Custom Nose Pour Bullet Mold

It is a well-known fact that the base of the bullet is critical for accuracy. The nose pour bullet mold was invented for this very reason; they allow for bullets to be cast with a perfectly flat base, with the sprue on the nose of the bullet. Previously available only as "made to order" molds, we offer the most popular of these "Custom Made" molds as standard inventory items. The Black Powder Cartridge Rifle (BPCR) molds are made with larger mold blocks for the large bullets cast for black powder shooting. Standard and BPCR handles are sold separately.

PRICING

1-Cavity Molds \$127.99
Mold handles not included.

1-Cavity Nose Pour BPCR Bullet Mold Handles



193-586 \$35.99

1-Cavity Nose Pour Bullet Mold Handles



289-162 \$35.99

RIFLE MOLDS	30 Cal		32-40 WCF		38-55 Pope	
Mold #	310165	310185	310205	310225	322200	376310
Bullet Diameter	0.31	0.31	0.31	0.31	0.322	0.376 Tapered
Bullet Weight	165 Gr	185 Gr	205 Gr	220 Gr	200 Gr	310 Gr
1-Cavity	667-906	445-478	152-849	746-427	712-098	456-563*
Style:	Semi-Spitzer Gas Check 1.075"	Semi-Spitzer Gas Check 1.075"	Semi-Spitzer Gas Check 1.175"	Semi-Spitzer Gas Check 1.255"	Semi-Spitzer Schuetzen 1.070"	Semi-Spitzer Schuetzen 1.200"

RIFLE MOLDS	38-55 WCF			40 Cal		
Mold #	376330	376365	377310	409370	409405	409430
Bullet Diameter	0.376	0.376	0.377	0.409	0.409	0.409
Bullet Weight	330 Gr	365 Gr	310 Gr	370 Gr	405 Gr	430 Gr
1-Cavity	314-937*	340-971*	316-242*	411-270*	640-994*	959-043*
Style:	Semi-Spitzer 1.285"	Semi-Spitzer Creedmore 1.405"	BPCR Semi-Spitzer 1.200"	Semi-Spitzer 1.275"	Semi-Spitzer Creedmore 1.350"	Creedmore 1.405"

RIFLE MOLDS	45 Cal					50 Cal	
Mold #	459420	459430	459500	459510	459525	459550	512650
Bullet Diameter	0.459	0.459	0.459	0.459	0.459	0.459	0.512
Bullet Weight	420 Gr	430 Gr	500 Gr	510 Gr	525 Gr	550 Gr	650 Gr
1-Cavity	740-211*	794-878*	967-433*	114-665*	811-694*	461-432*	814-792*
Style:	Flat Nose Gas Check 1.050"	Semi-Spitzer 1.125"	Semi-Spitzer Creedmore 1.325"	Gov't Round Nose 1.275"	Postell 1.410"	Creedmore 1.430"	Semi-Spitzer 1.405"

*Molds for Black Powder Cartridge Rifle applications. Mold handle # 193-586 must be used.

LEE

Bullet Mold

Made from aluminum because of its exceptional molding qualities. These molds are one-third the weight of iron or steel mold blocks helping lessen fatigue during extended casting sessions. To ensure the best possible bullets, the mold block halves are clamped together and the cavities lathe bored for unmatched roundness and size control. All Lee 1 and 2-cavity molds come with mold handles attached. Hollow point and hollow base molds feature self-centering core pins for fast casting. The 6-cavity molds come with cam operated, hard-anodized sprue plates held tightly with tempered spring washers at each end and are designed for volume production with steel bushing and alignment pins.



PRICING










2-Cavity Pistol \$19.79
6-Cavity Pistol \$38.49










Mold handles not included with 6-Cavity Molds









PISTOL MOLDS	32 ACP, 30 Mauser, 7.62x25mm Tokarev		32 S&W Long, 32 H&R Mag		9mm Luger, 38 Super				9x18mm (9mm Makarov)
Mold #	311-93-1R	311-100-2R	TL314-90-SWC	356-102-1R	356-120-TC	TL356-124-2R	TL356-124-TC	356-125-2R	365-95-1R
Bullet Diameter	0.311	0.311	0.314	0.356	0.356	0.356	0.356	0.356	0.365
Bullet Weight	93 Gr	100 Gr	90 Gr	102 Gr	120 Gr	124 Gr	124 Gr	125 Gr	95 Gr
2-Cavity	453-779	530-255	115-225	550-977	241-085	141-131	366-607	994-155	786-209
6-Cavity	254-640	-	-	-	294-531	476-412	340-779	658-356	-
Style:	Round Nose, 1 Ogive Radius	Round Nose, 2 Ogive Radius	Semi-Wadcutter, Tumble Lube	Round Nose, 1 Ogive Radius	Truncated Cone	Round Nose 2 Ogive Radius, Tumble Lube	Truncated Cone, Tumble Lube	Round Nose, 2 Ogive Radius	Round Nose, 1 Ogive Radius

BULLET ILLUSTRATIONS NOT TO SCALE.



PISTOL MOLDS	38 Spl, 38 S&W, 38 Colt New Police		38 Spl, 357 Mag						
									
Mold #	358-125-RF	358-105-SWC	358-140-SWC	358-148-WC	TL358-148-WC	358-150-IR	TL358-158-SWC	C358-158-SWC	TL358-158-2R
Bullet Diameter	0.358	0.358	0.358	0.358	0.358	0.358	0.358	0.358	0.358
Bullet Weight	125 Gr	105 Gr	140 Gr	148 Gr	148 Gr	150 Gr	158 Gr	158 Gr	158 Gr
2-Cavity	145-006	243-545	141-951	623-052	918-675	357-136	164-178	263-780	654-847
6-Cavity	916-523	458-304	721-902	787-231	953-713	784-750	704-691	873-370	563-717
Style:	Round Nose, Flat Nose	Semi-Wadcutter	Semi-Wadcutter	Wadcutter	Wadcutter, Tumble Lube	Round Nose, 1 Ogive Radius	Semi-Wadcutter, Tumble Lube	Semi-Wadcutter, Gas Check	Round Nose, 2 Ogive Radius, Tumble Lube

PISTOL MOLDS	38 Spl, 357 Mag	40 S&W, 10mm Auto			41 Rem Mag		44 Spl, 44 Rem Mag		
									
Mold #	358-158-RF	401-145-SWC	TL401-175-SWC	401-175-TC	410-195-SWC	TL410-210-SWC	429-200-RF	429-214-SWC	C429-240-SWC
Bullet Diameter	0.358	0.401	0.401	0.401	0.41	0.41	0.429	0.429	0.429
Bullet Weight	158 Gr	145 Gr	175 Gr	175 Gr	195 Gr	210 Gr	200 Gr	214 Gr	240 Gr
2-Cavity	188-719	488-181	333-143	224-761	307-385	576-814	520-228	927-283	516-757
6-Cavity	172-810	-	642-322	569-185	-	-	790-352	-	987-910
Style:	Round Nose, Flat Nose	Semi-Wadcutter	Semi-Wadcutter, Tumble Lube	Truncated Cone	Semi-Wadcutter	Semi-Wadcutter, Tumble Lube	Flat Nose	Semi-Wadcutter	Semi-Wadcutter, Gas Check


PISTOL MOLDS	44 Spl, 44 Rem Mag			45 ACP, 45 Auto Rim, 45 Colt (LC)				
								
Mold #	429-240-2R	TL430-240-SWC	C430-310-RF	452-160-RF	452-200-SWC	452-200-RF	TL452-200-SWC	452-228-IR
Bullet Diameter	0.429	0.43	0.43	0.452	0.452	0.452	0.452	0.452
Bullet Weight	240 Gr	240 Gr	310 Gr	160 Gr	200 Gr	200 Gr	200 Gr	228 Gr
2-Cavity	373-417	194-309	511-417	264-838	378-487	789-762	662-400	782-554
6-Cavity	215-104	656-156	-	-	336-035	110-378	232-646	313-971
Style:	Round Nose, 2 Ogive Radius	Semi-Wadcutter, Tumble Lube	Round Nose, Flat Nose, Gas Check	Flat Nose	Semi-Wadcutter	Flat Nose	Semi-Wadcutter, Tumble Lube	Round Nose, 1 Ogive Radius

PISTOL MOLDS	45 ACP, 45 Colt (LC)			45 Colt (LC), 454 Casull			475 Linebaugh, 480 Ruger	500 S&W	
									
Mold #	TL452-230-2R	TL452-230	452-230-TC	452-252-SWC	452-255-RF	C452-300-RF	C476-325-RF	476-400-RF	C501-440-RF
Bullet Diameter	0.452	0.452	0.452	0.452	0.452	0.452	0.476	0.476	0.501
Bullet Weight	230 Gr	230 Gr	230 Gr	252 Gr	255 Gr	300 Gr	325 Gr	400 Gr	440 Gr
2-Cavity	517-501	149-918	776-747	668-245	775-664	658-577	633-775	266-174	266-944
6-Cavity	148-534	732-706	397-569	-	570-018	440-679	-	-	-
Style:	Round Nose, Tumble Lube 2 Ogive Radius	Truncated Cone, Tumble Lube	Truncated Cone	Semi-Wadcutter	Round Nose, Flat Nose	Flat Nose, Gas Check	Flat Nose, Gas Check	Flat Nose	Flat Nose

PRICING
2-Cavity Pistol \$19.79
6-Cavity Pistol \$38.49
Mold handles not included with 6-Cavity Molds



TUMBLE LUBE BULLETS











Tumble Lube Bullets usually require no sizing and are designed for Tumble Lubing. The bullet shank has many shallow grooves for maximum lube retention. Features include a bevel base to speed bullet seating and minimize the bellling of case mouths for longer case life. Coating the entire bullet with Lee Liquid AloX (# 466-811) places the lube where needed, on the surfaces that rub against the bore.








Lead Warning p. 457

BULLET ILLUSTRATIONS NOT TO SCALE.



RIFLE MOLDS	7mm		30 Cal					
								
Mold #	C285-130-IR	C309-113-F	C309-120-R	C309-150-F	C309-160-IR	C309-170-F	C309-180-R	C309-200-IR
Bullet Diameter	0.285	0.309	0.309	0.309	0.309	0.309	0.309	0.309
Bullet Weight	130 Gr	113 Gr	120 Gr	150 Gr	160 Gr	170 Gr	180 Gr	200 Gr
2-Cavity	331-841	480-790	239-831	720-790	613-249	574-963	107-571	183-267
Style:	Round Nose, Gas Check, 1 Ogive Radius	Flat Nose, Gas Check	Round Nose, Gas Check, 1 Ogive Radius	Flat Nose, Gas Check	Round Nose, Gas Check, 1 Ogive Radius	Flat Nose, Gas Check	Round Nose, 1 Ogive Radius	Round Nose, 1 Ogive Radius

RIFLE MOLDS	7.62x39mm Russian		7.65mm Argentine Mauser, 7.7mm Japanese, 303 British	8mm	8x56mm Rimmed Hungarian Mannlicher	338 Cal	375 Winchester, 38-55 WCF	45-70 Gov't
								
Mold #	C312-155-2R	TL312-160-2R	C312-185-1R	C324-175-1R	329-205-1R	C338-220-1R	379-250-RF	457-340-F
Bullet Diameter	0.312	0.312	0.312	0.324	0.329	0.338	0.379	0.457
Bullet Weight	155 Gr	160 Gr	185 Gr	175 Gr	205 Gr	220 Gr	250 Gr	340 Gr
2-Cavity	752-956	339-539	562-844	710-529	941-952	648-738	476-137	186-608
Style:	2 Ogive Radius, Gas Check	Round Nose, 2 Ogive Radius	Round Nose, Gas Check, 1 Ogive Radius	Round Nose, Gas Check, 1 Ogive Radius	Round Nose, 1 Ogive Radius	Round Nose, Gas Check, 1 Ogive Radius	Flat Nose	Flat Nose

RIFLE MOLDS	45-70 Gov't				50 Cal		
							
Mold #	457-405-F	457-450-F	C457-500-F	459-405-HB	459-500-3R	515-450-F	515-500-F
Bullet Diameter	0.457	0.457	0.457	0.459	0.459	0.515	0.515
Bullet Weight	405 Gr	450 Gr	500 Gr	405 Gr	500 Gr	450 Gr	500 Gr
2-Cavity	588-362	121-901	489-225	363-401*	214-596	434-163	219-011
Style:	Flat Nose	Flat Nose	Flat Nose, Gas Check	Hollow Base	Pointed Round Nose	Flat Nose	Flat Nose

PRICING
Rifle Molds \$19.79
Mold handles included









*1-Cavity

PRICING
1-Cavity \$61.99
2-Cavity \$61.99
4-Cavity \$84.99
Mold handles not included.
Lyman Top Punch \$8.99

Bullet Mold









Lyman Molds are made from solid steel and machined to an exact and smooth finish. The molds are then heat treated and feature hardened steel alignment pins to provide many years of bullet casting service. Sprue plates are made from solid steel, ground flat and held tightly in place with tempered steel spring washers and screws. Break-in for these molds is often half the time required for iron molds. Mold handles sold separately. Lyman Top Punches are precisely machined to fit the bullet nose shape exactly. This eliminates nose deformation. Fits Lyman 450/4500 Lube Sizer and RCBS Lube-A-Matic-2 Bullet Sizer/Lubricator.




















PISTOL MOLDS	32 ACP (Auto), 30 Mauser, 7.62x25mm Tokarev	32 S&W Long, 32 H&R Mag	9mm Luger				9mm Luger, 38 Spl	38 Spl, 357 Mag
								
Mold #	311252	313249	356242	356402	356242	356637	356637	358091
Bullet Diameter	0.311	0.314	0.356	0.356	0.356	0.356	0.356	0.358
Bullet Weight	75 Gr	85 Gr	90 Gr	120 Gr	120 Gr	147 Gr	124 Gr	150 Gr
1-Cavity	-	-	-	-	-	-	505-491	-
2-Cavity	461-284	239-912	565-125	249-038	445-760	241-746	-	275-880
4-Cavity	-	-	-	342-081	-	743-639	-	469-785
Lyman Top Punch	127-202	766-872	137-831	140-182	137-831	733-504	733-504	214-843
Style:	Round Nose	Round Nose	Round Nose	Truncated Cone	Round Nose	Flat Nose, Bevel Base	Devastator Hollow Point, Bevel Base	Wadcutter, Bevel Base









BULLET ILLUSTRATIONS NOT TO SCALE.

Lyman

PISTOL MOLDS	38 Spl, 357 Mag						40 S&W, 10mm Auto	
								
Mold #	358477	358156	358665	358311	358429	358430	401654	401638
Bullet Diameter	0.358	0.358	0.358	0.358	0.358	0.358	0.401	0.401
Bullet Weight	150 Gr	155 Gr	158 Gr	160 Gr	170 Gr	195 Gr	150 Gr	175 Gr
2-Cavity	422-001	728-135	280-696*	339-823	766-375	766-200	200-300	592-924
4-Cavity	487-592	610-418	364-589	189-804	635-507	-	-	215-776
Lyman Top Punch	330-844	330-844	214-843	137-831	330-844	363-991	456-794	456-794
Style:	Semi-Wadcutter	Semi-Wadcutter; Gas Check	Flat Nose	Round Nose	Semi-Wadcutter	Round Nose	Semi-Wadcutter; Bevel Base	Truncated Cone, Bevel Base

PISTOL MOLDS	44 Spl, 44 Rem Mag						45 ACP	
								
Mold #	429215	429667	429421	429383	429244	429650	429640	452630
Bullet Diameter	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.452
Bullet Weight	210 Gr	240 Gr	245 Gr	245 Gr	255 Gr	300 Gr	250 Gr	200 Gr
1-Cavity	-	-	-	-	-	-	198-535	-
2-Cavity	682-875	284-547	217-188	249-476	710-069	506-726	-	672-229
4-Cavity	693-312	384-755	219-738	-	368-440	-	-	161-788
Lyman Top Punch	776-954	225-535	776-954	478-536	776-954	776-954	225-535	783-549
Style:	Semi-Wadcutter; Gas Check	Flat Nose, Bevel Base	Semi-Wadcutter	Round Nose	Semi-Wadcutter; Gas Check	Semi-Wadcutter; Gas Check	Devastator Hollow Point, Gas Check	Flat Nose, Bevel Base

PISTOL MOLDS	45 ACP			45 Colt (LC)					500 S&W Magnum
									
Mold #	452460	452374	452374	452664	452424	452490	452651	454190	501680
Bullet Diameter	0.452	0.452	0.452	0.452	0.452	0.452	0.452	0.454	0.501
Bullet Weight	200 Gr	225 Gr	180 Gr	250 Gr	255 Gr	255 Gr	325 Gr	250 Gr	375 Gr
1-Cavity	-	-	670-333	-	-	-	-	-	783-814
2-Cavity	583-831	384-168	-	313-762*	184-413	664-635	740-563	615-911*	-
4-Cavity	771-796	204-749	-	388-093	-	-	-	-	-
Lyman Top Punch	783-549	307-803	307-803	225-535	705-704	705-704	225-535	588-115	225-535
Style:	Semi-Wadcutter	Round Nose	Devastator Hollow Point	Flat Nose	Semi-Wadcutter	Semi-Wadcutter; Gas Check	Flat Nose, Gas Check	Flat Nose	Semi-Wadcutter


RIFLE MOLDS	22 Cal			25 Cal	6.5mm		7mm	
								
Mold #	225438	225415	225646	257420	266469	266673	287346	287641
Bullet Diameter	0.225	0.225	0.225	0.258	0.264	0.264	0.285	0.285
Bullet Weight	44 Gr	55 Gr	55 Gr	65 Gr	140 Gr	150 Gr	135 Gr	160 Gr
2-Cavity	538-620	104-009	790-896	427-712	628-940	390-007	666-454	296-218
Lyman Top Punch	516-358	661-459	335-070	563-972	410-146	755-207	711-660	755-207
Style:	Round Nose, Gas Check	Flat Nose, Gas Check	Semi-Point, Gas Check	Flat Nose, Gas Check	Round Nose, Gas Check	Semi-Point, Gas Check Silhouette	Round Nose, Gas Check	Silhouette

* Special Pricing \$56.99


PRICING

1-Cavity \$61.99
2-Cavity \$61.99
4-Cavity \$84.99
Mold handles not included.
Lyman Top Punch \$8.99

**Bullet
Mold
Handles**



DescriptionProd #.. **Price**
 1-Cavity and 2-Cavity (Pictured)..698-819..\$32.99
 4 Cavity.....290-391..\$32.99



BULLET ILLUSTRATIONS NOT TO SCALE.




RIFLE MOLDS	30 Carbine, 7.62x39mm Russian				30 Cal				
Mold #	311359	311410	311672	311291	311041	311332	311644	311679	311299
Bullet Diameter	0.309 to 0.312	0.309 to 0.312	0.309	0.309	0.309	0.309	0.309	0.309	0.309
Bullet Weight	115 Gr	130 Gr	160 Gr	170 Gr	173 Gr	180 Gr	190 Gr	195 Gr	200 Gr
2-Cavity	661-909	767-788	430-308	667-443	128-710	482-860	433-646	318-153	805-045
Lyman Top Punch	220-564	347-521	224-616	127-202	596-142	427-690	224-616	220-564	347-521
Style:	Pointed Tip, Gas Check	Pointed Tip	Flat Nose, Gas Check, Silhouette	Round Nose, Gas Check	Flat Nose, Gas Check	Pointed Tip, Gas Check	Semi-Point, Gas Check, Silhouette	Gas Check	Round Nose, Gas Check

RIFLE MOLDS	32-20 WCF	303 Cal	32-40 WCF	8mm	35 Cal	375 Cal, 38-55 WCF			38-40 WCF	40 Cal
Mold #	311008	314299	319247	323470	358315	375248	375449	378674	401043	403168
Bullet Diameter	0.312	0.314	0.322	0.325	0.358	0.377 to 0.379	0.377 to 0.379	0.377 to 0.379	0.401	0.406
Bullet Weight	115 Gr	200 Gr	165 Gr	165 Gr	204 Gr	249 Gr	264 Gr	335 Gr	175 Gr	200 Gr
1-Cavity	-	-	-	-	-	436-524	-	440-353*	-	-
2-Cavity	236-603	530-266	435-560	754-791	534-896	-	412-412	-	253-968	785-207
Lyman Top Punch	596-142	347-521	596-142	589-503	137-831	465-743	465-743	270-351	456-794	456-794
Style:	Flat Nose	Round Nose, Gas Check	Flat Nose	Round Nose, Gas Check	Round Nose, Gas Check, Suggested for Silhouette	Flat Nose	Flat Nose, Gas Check	Round Nose	Flat Nose	Flat Nose

RIFLE MOLDS	40 Cal					44-40 WCF		43 Spanish	43 Mauser	45 Cal
Mold #	403169	410660	410678	410655	410663	427666	427098	439186	446110	457191
Bullet Diameter	0.406 to 0.408	0.406 to 0.410	0.41	0.406 to 0.410	0.406 to 0.410	0.428	0.428	0.439	0.446	0.458 to 0.459
Bullet Weight	240 Gr	385 Gr	395 Gr	400 Gr	400 Gr	200 Gr	205 Gr	370 Gr	340 Gr	292 Gr
1-Cavity	-	445-145	833-822	469-685	449-479*	-	-	481-718*	705-018*	659-251
2-Cavity	618-553	-	-	-	-	281-668	195-820	-	-	-
Lyman Top Punch	456-794	235-144	220-989	465-743	270-351	225-535	456-794	478-536	478-536	636-771
Style:	Flat Nose	Semi-Pointed	Pointed Tip	Flat Nose	Round Nose	Flat Nose, Bevel Base	Flat Nose	Round Nose	Flat Nose	Flat Nose, Bevel Base

RIFLE MOLDS	45 Cal									50 Cal
Mold #	457122	457124	457643	457193	457671	457658	457677	457125	457132	515141
Bullet Diameter	0.458 to 0.459	0.458 to 0.459	0.458 to 0.459	0.458 to 0.459	0.458 to 0.459	0.458 to 0.459	0.458 to 0.459	0.458 to 0.459	0.458 to 0.459	0.512
Bullet Weight	330 Gr	385 Gr	400 Gr	405 Gr	475 Gr	480 Gr	490 Gr	500 Gr	535 Gr	425 Gr
1-Cavity	370-703*	632-793*	460-487	732-718*	471-527	476-802*	547-964*	567-421*	471-068*	-
2-Cavity	-	-	-	-	-	-	-	-	-	377-240
Lyman Top Punch	636-771	307-803	636-771	636-771	307-803	235-144	634-965	307-803	218-830	146-387
Style:	Flat Nose, Hollow Point	Round Nose	Flat Nose	Flat Nose	Round Nose, Gas Check	Semi-Pointed	Pointed Tip	Round Nose	Semi-Pointed	Flat Nose

* Special Pricing \$56.99



BULLET ILLUSTRATIONS NOT TO SCALE.

Bullet Mold Handles

Description Prod #.. Price
 1-Cavity and 2-Cavity (Pictured).. 698-819 ..\$32.99
 4 Cavity 290-391 ..\$32.99

PRICING

1-Cavity \$61.99
2-Cavity \$61.99
4-Cavity \$84.99
Mold handles not included.
Lyman Top Punch \$8.99

Bullet Mold



RCBS Molds are machined to exacting specifications from solid cast iron blocks for accurate, clean casts time after time. The cast iron blocks are precision ground square prior to machining, and steel alignment pins are used to ensure perfect mating of the mold blocks even after years of heavy use. All RCBS mold blocks feature a 3/16" thick solid steel spruce plate that is held tightly in place with tempered steel spring washers and screws. Mold handles sold separately. RCBS Top Punches fit RCBS Lube-A-Matic-2 Bullet Sizer/Lubricator and Lyman 450/4500 Lube Sizer. Punches fit the bullet nose shape exactly which helps to eliminate nose deformation.

PISTOL MOLDS	32 Cal				9mm				38 Cal
Mold #	32-077-RN	32-90-CM	32-098-SWC	32-098-WC	09-115-RN	09-124-RN-TG	09-124-CN	9mm-147-FN	38-090-RN
Bullet Diameter	0.311	0.314	0.314	0.314	0.356	0.356	0.356	0.356	0.356
Bullet Weight	77 Gr	90 Gr	98 Gr	98 Gr	115 Gr	124 Gr	124 Gr	147 Gr	90 Gr
2-Cavity	133-816	461-615	128-149	246-137	422-048	136-309	148-043	233-874	322-645
RCBS Top Punch	170-392	558-667	558-513	601-374	135-950	135-950	734-930	858-183	696-636
Style:	Round Nose	Flat Nose	Semi-Wadcutter	Wadcutter	Round Nose	Round Nose, Target	Conical Nose	Flat Nose	Round Nose

PISTOL MOLDS	38 Cal					38 Spl, 357 Mag		40 S&W, 10mm		
Mold #	38-140-CM	38-150-SWC	38-158-CM	38-158-RN	38-158-SWC	38-148-WC	357-180-SIL	10mm-170-SWC	40-180-FN	10mm-200-SWC
Bullet Diameter	0.358	0.358	0.358	0.358	0.358	0.358	0.358	0.401	0.401	0.401
Bullet Weight	140 Gr	150 Gr	158 Gr	158 Gr	158 Gr	148 Gr	180 Gr	170 Gr	180 Gr	200 Gr
2-Cavity	463-418	436-963	477-088	541-782	491-684	178-276	160-766*	217-559	330-120	224-747
RCBS Top Punch	544-214	683-989	544-214	696-636	683-989	683-989	765-331	778-677	533-781	778-677
Style:	Flat Nose	Semi-Wadcutter	Flat Nose	Round Nose	Semi-Wadcutter, Gas Check	Wadcutter	Silhouette, Gas Check	Semi-Wadcutter	Flat Nose	Semi-Wadcutter


PISTOL MOLDS	41 Rem Mag	44 Cal					44 Spl, 44 Rem Mag	45 Cal		
Mold #	41-210-SWC	44-225-SWC	44-240-SWC	429-240-SIL	44-250-K	44-300-SWC	44-245-SWC	45-185-SWC-BB	45-200-SWC	45-201-SWC
Bullet Diameter	0.41	0.43	0.43	0.43	0.43	0.43	0.43	0.452	0.452	0.452
Bullet Weight	210 Gr	225 Gr	240 Gr	240 Gr	250 Gr	300 Gr	245 Gr	185 Gr	200 Gr	201 Gr
2-Cavity	190-050	468-468	582-790	764-004*	744-337	122-093	191-199	210-852	596-618	187-705
RCBS Top Punch	746-911	613-968	613-968	629-381	613-968	613-968	613-968	596-271	224-358	224-358
Style:	Semi-Wadcutter	Semi-Wadcutter, Gas Check	Semi-Wadcutter, Gas Check	Silhouette, Gas Check	Keith Type	Semi-Wadcutter, Gas Check	Semi-Wadcutter	Semi-Wadcutter, Bevel Base	Semi-Wadcutter	Semi-Wadcutter

PISTOL MOLDS	45 Cal						45 Colt Single Action Army	480 Cal	50 Cal	500 S&W Magnum
Mold #	45-230-RN	45-300-SWC	45-230-CM	45-225-CAV	45-250-FN	45-255-SWC	45-270-SAA	476-400-SWC	50-340-SWC	50-400-SWC
Bullet Diameter	0.452	0.452	0.452 to 0.454	0.454	0.454	0.454	0.454	0.476	0.5	0.5
Bullet Weight	230 Gr	300 Gr	230 Gr	225 Gr	250 Gr	255 Gr	270 Gr	400 Gr	340 Gr	400 Gr
1-Cavity	-	-	-	-	-	-	-	105-632	246-337	117-805
2-Cavity	199-161	376-357	651-749	788-068	624-669	740-944	267-445	-	-	-
RCBS Top Punch	128-391	331-607	604-859	436-876	226-906	331-607	331-607	625-508	873-043	873-043
Style:	Round Nose	Semi-Wadcutter, Gas Check	Flat Nose	Cavalry	Flat Nose	Semi-Wadcutter	Flat Nose	Semi-Wadcutter	Semi-Wadcutter	Semi-Wadcutter

* Special Pricing \$76.99

RCBS
Bullet Mold
Handles
 # 566-980
 \$39.49

PRICING
1-Cavity \$71.99
2-Cavity \$71.99
Mold handles not included.
RCBS Top Punch \$10.99



BULLET ILLUSTRATIONS NOT TO SCALE.



RIFLE MOLDS	22 Cal	243 Cal, 6mm	25 Cal	
Mold #	22-055-SP	243-095-SP	25-85-CM	257-120-SP
Bullet Diameter	0.225	0.244	0.258	0.258
Bullet Weight	55 Gr	95 Gr	85 Gr	120 Gr
2-Cavity	505-796	284-678	443-611*	516-182
RCBS Top Punch	349-079	834-220	526-208	784-360
Style:	Semi-Point, Gas Check	Semi-Point, Gas Check	Flat Nose	Semi-Point, Gas Check

Green Plastic Utility Box

This is the same green plastic box supplied with RCBS Bullet Molds. Box measures 2" x 3-1/2" x 2-1/2".



213-048 \$4.69

RIFLE MOLDS	6.5mm	270 Cal	7mm		30 Cal, 7.62mm	30 Cal		
Mold #	6.5-140-SIL	270-150-SP	7mm-145-SIL	7mm-168-SP	7.62mm-130-SPL	30-115-SP	30-150-CM	30-150-FN
Bullet Diameter	0.264	0.278	0.285	0.285	0.309	0.309	0.309	0.309
Bullet Weight	140 Gr	150 Gr	145 Gr	168 Gr	130 Gr	115 Gr	150 Gr	150 Gr
2-Cavity	946-942	289-494	689-538	222-269	305-808	131-296	452-042*	112-800
RCBS Top Punch	409-441	846-661	220-341	220-341	638-244	274-128	290-473	689-098
Style:	Silhouette, Gas Check	Semi-Point, Gas Check	Silhouette, Gas Check	Semi-Point, Gas Check	Spitzer Point, Gas Check	Semi-Point, Gas Check	Flat Nose	Flat Nose, Gas Check

RIFLE MOLDS	30 Cal			310 Cadet	32 Cal	35 Cal	37 Cal	38-55, 378 Cal	40 Cal	
Mold #	30-180-SP	30-180-FN	308-200-SIL	310-120-RN	32-170-FN	35-200-FN	37-250-FN	378-312-BPS	40-180-C	40-300-SP-CSA
Bullet Diameter	0.309	0.309	0.309	0.310 - 0.323	0.321	0.358	0.376	0.378	0.401	0.41
Bullet Weight	180 Gr	180 Gr	200 Gr	120 Gr	170 Gr	200 Gr	250 Gr	312 Gr	180 Gr	300 Gr
2-Cavity	112-896	125-643	119-903	172-217	383-491	319-002	197-552	318-731	513-967	358-490
RCBS Top Punch	689-098	290-473	689-098	-	643-219	169-867	334-751	872-561	574-919	687-742
Style:	Semi-Point, Gas Check	Flat Nose, Gas Check	Silhouette, Gas Check	Round Nose, Not Sized or Lubed	Flat Nose, Gas Check	Flat Nose, Gas Check	Flat Nose, Gas Check	Semi-Point, Black Powder Silhouette	Flat Nose	Semi-Point, C Shaprs Arms

RIFLE MOLDS	40 Cal			416 Cal	44 Cal		44 Cal, 11mm	45 Cal	
Mold #	40-350-SP-CSA	40-400-SP-CSA	40-400-BPS	416-350-FN	44-200-FN	44-200-CM	44-370-FN	45-300-FN	45-325-FN-U
Bullet Diameter	0.41	0.41	0.408 to 0.409	0.417	0.428	0.428 to 0.430	0.446	0.458	0.458
Bullet Weight	350 Gr	400 Gr	400 Gr	350 Gr	200 Gr	200 Gr	370 Gr	300 Gr	325 Gr
1-Cavity	674-652	777-771	386-795	282-505	-	-	-	-	-
2-Cavity	-	-	-	-	126-912	515-090	695-503	173-356	753-446
RCBS Top Punch	687-742	687-742	330-229	622-115	673-362	592-179	668-646	112-388	212-648
Style:	Semi-Point, C Shaprs Arms	Semi-Point, C Shaprs Arms	Black Powder Silhouette	Flat Nose, Gas Check	Flat Nose	Flat Nose	Flat Nose	Flat Nose, Gas Check	Flat Nose, Universal

RIFLE MOLDS	45 Cal		
Mold #	45-405-FN	45-500-FN	45-500-BPS
Bullet Diameter	0.458	0.458	0.458
Bullet Weight	405 Gr	500 Gr	500 Gr
1-Cavity	632-708	305-466	317-308
RCBS Top Punch	112-388	112-388	869-062
Style:	Flat Nose, Gas Check	Flat Nose, Gas Check	Flat Nose, Black Powder Silhouette

RCBS Bullet Mold Handles

566-980
\$39.49

* Special Pricing \$80.99



PRICING

1-Cavity \$76.99
2-Cavity \$76.99
Mold handles not included.

RCBS Top Punch \$10.99

BULLET ILLUSTRATIONS NOT TO SCALE.




Specialty Rifle Bullet Molds

	22 Cal	243 Cal, 6mm	25 Cal	6.5mm	270 Cal	32-20 WCF	8mm	338 Cal	348 Cal
Mold #	22-060-FN	24-100-FN	25-100-FN	26-140-FN	27-130-FN	32-115-FN	08-170-FN	33-200-FN	348-200-FN
Bullet Diameter	0.228	0.243	0.258	0.264	0.277	0.31	0.323	0.338	0.349
Bullet Weight	60 Gr	100 Gr	100 Gr	140 Gr	130 Gr	115 Gr	170 Gr	200 Gr	200 Gr
2-Cavity	103-059	103-823	111-702	116-013	130-873	150-066	173-570	181-010	182-924
RCBS Top Punch	382-117	386-450	388-847	409-441	414-715	290-473	643-219	640-142	391-743
Style:	Flat Nose, Gas Check	Flat Nose, Gas Check	Flat Nose, Gas Check	Flat Nose, Gas Check	Flat Nose, Gas Check	Flat Nose, Gas Check	Flat Nose, Gas Check	Flat Nose	Flat Nose, Gas Check


	35 Cal	38-40 WCF	40 Cal	43 Cal	500/465	470 Nitro Express	50 Cal			
Mold #	35-250-SP	40-170-FN	40-180-FN	41-260-FN	41-300-FN	43-370-FN	465/480-FN	470/500-FN	50-450-FN	50-515-FN
Bullet Diameter	0.358	0.4	0.401	0.406	0.406	0.439	0.468	0.474	0.512	0.512
Bullet Weight	250 Gr	170 Gr	180 Gr	260 Gr	300 Gr	370 Gr	480 Gr	500 Gr	450 Gr	515 Gr
1-Cavity	-	-	-	-	-	-	222-437	239-212	197-992	531-543
2-Cavity	182-947	186-952	190-595	708-728	192-532	653-925	-	-	-	-
RCBS Top Punch	619-024	501-542	533-781	526-446	526-446	668-646	595-962	610-822	173-584	173-584
Style:	Semi-Point, Gas Check	Flat Nose	Flat Nose	Flat Nose	Flat Nose	Flat Nose	Flat Nose	Flat Nose	Flat Nose	Flat Nose

Specialty Paper Patched Rifle Bullet Molds

	40 Cal	45 Cal	50 Cal
Mold #	40-400-PP	45-500-PP	50-530-PP
Bullet Diameter	0.404	0.454	0.5
Bullet Weight	400 Gr	500 Gr	530 Gr
1-Cavity	884-629	892-782	894-696
Style:	Round Nose	Round Nose	Round Nose



RCBS Bullet Mold Handles



566-980
\$39.49

Specialty Pistol Bullet Molds


	25 ACP	30 Mauser	8mm Nambu	38 Spl, 357 Mag	45 Colt (LC)	455 Webley Automatic
Mold #	25-050-RN	30-085-RN	08-110-RN	38-175-RN	45-250-RN-HB	45-265-RN-HB
Bullet Diameter	0.251	0.308	0.323	0.358	0.455	0.455
Bullet Weight	50 Gr	85 Gr	110 Gr	175 Gr	250 Gr	265 Gr
2-Cavity	106-910	142-164	155-087	185-552	193-682	195-619
RCBS Top Punch	386-933	170-392	141-263	696-636	890-917	895-709
Style:	Round Nose	Round Nose	Round Nose, Gas Check	Round Nose, Gas Check	Round Nose, Hollow Base	Round Nose, Hollow Base

PRICING

1-Cavity \$119.99
2-Cavity \$119.99
Mold handles not included.
RCBS Top Punch \$15.79

Weights from alloy of 1 part tin to 10 parts lead.

BULLET ILLUSTRATIONS NOT TO SCALE.



LEE Lyman RCBS SAECO

4-Cavity Ingot Mold

Perfect for melting down scrap lead, emptying the furnace or blending a custom alloy.

Description	Handles Included	Product #	Price
Lee (A) Casts two 1 1/2 lb ingots, two 1 lb ingots	Yes	361-222	\$10.49
Lyman (B) Casts four 1 lb ingots	Yes	496-285	\$18.79
RCBS Casts four 1 lb ingots	No	561-601	\$19.79
Saeco Casts four 1 lb ingots	No	707-564	\$22.99



Frankford Arsenal Reloading Tools

Drop Out Mold Release Agent and Lube

Prepare molds for casting the modern way. This spray works as both a release agent and a lube. It contains graphite to help bullets drop easily from the mold and also works to prevent rust. For use with iron, aluminum or brass bullet molds. Non-flammable formula dries in seconds and is safe for use on hot or cold molds. 6 oz aerosol.


763-758 \$10.49

CleanCast Lead Fluxing Compound




CleanCast separates dross from bullet alloy and improves the consistency of the melted lead to eliminate variability during the casting process. Non-smoking, odor-free and non-corrosive to iron and steel. Approximately 1 teaspoon is used for 8 lbs of alloy. 1 lb tub.

593-033 \$10.79



Vita-N-Flux

Quality Alloys & Products



- Specially designed for the white metal alloys used in bullet casting
- Brings dross to top of the mixture for easy removal
- Increases fluidity and helps alloys blend better
- 6 oz tube

260-495 \$23.99

Bullet Mold




Machined from solid cast iron blocks one cavity at a time on digital equipment so that each cavity duplicates the previous one. Steel sprue plates are held firm against the mold blocks by high temperature spring washers to ensure uniform bullets with square bases. Magnum molds were created to insure more uniform temperature control and casting consistency when casting large diameter and/or heavy bullets. Single cavity Magnum Molds are made from normal double cavity blocks, while the double cavity Magnum Molds are made from normal triple cavity blocks. Mold handles sold separately. Saeco offers two different types of top punches, one for use with the Saeco Lubri-Sizer and another for use with the Lyman 4500 and RCBS Lube-A-Matic 2.

PISTOL MOLDS	32 Cal				9mm				
Mold #	#323	#325	#321	#326	#922	#925	#377	#384	#115
Bullet Diameter	0.313	0.313	0.313	0.313	0.356	0.356	0.356	0.356	0.356
Bullet Weight	95 Gr	95 Gr	95 Gr	100 Gr	115 Gr	115 Gr	122 Gr	122 Gr	122 Gr
1-Cavity Magnum	145-191	147-633	151-254	154-943	232-913	235-883	243-402	247-359	241-901
2-Cavity	145-442	148-352	152-908	155-611	233-923	236-755	243-861	248-631	241-970
3-Cavity	222-798	298-792	668-531	464-468	151-777	826-500	185-253	760-793	173-105
4-Cavity	145-794	149-900	153-144	157-066	234-359	237-154	244-825	249-159	242-475
Saeco Top Punch	777-149	778-956	778-136	778-956	780-074	801-579	786-252	780-074	780-074
Saeco Top Punch for Lyman/RCBS Type	854-298	856-318	856-120	856-318	857-130	873-001	861-111	857-130	857-130
Style:	Wadcutter	Semi-Wadcutter	Round Nose	Semi-Wadcutter, Bevel Base	Round Nose, Bevel Base	Semi-Wadcutter, Bevel Base	Truncated Cone, Bevel base	Round Nose	Round Nose, Bevel Base

PISTOL MOLDS	9mm			38 Super			38 Spl, 357 Mag		
Mold #	#924	#383	#910	#928	#929	#930	#052	#053	#397
Bullet Diameter	0.356	0.356 to 0.357	0.356 to 0.357	0.356 to 0.357	0.356 to 0.357	0.356 to 0.357	0.358	0.358	0.358
Bullet Weight	124 Gr	140 Gr	150 Gr	145 Gr	145 Gr	154 Gr	148 Gr	148 Gr	148 Gr
1-Cavity Magnum	251-624	257-274	265-557	258-345	261-737	273-696	-	-	-
2-Cavity	252-144	257-817	269-316	258-850	262-090	274-109	305-330	313-070	323-926
3-Cavity	413-311	726-947	126-137	140-447	353-425	362-975	616-764	147-944	585-080
4-Cavity	252-964	257-840	272-180	259-341	263-115	276-528	306-294	314-456	323-972
Saeco Top Punch	801-579	791-021	780-074	780-074	780-074	801-579	796-802	787-239	781-505
Saeco Top Punch for Lyman/RCBS Type	873-001	866-164	873-001	857-130	857-130	873-001	871-638	862-497	857-589
Style:	Semi-Wadcutter, Gas Check	Semi-Wadcutter	Round Nose	Round Nose, Bevel Base	Semi-Wadcutter, Bevel Base	Semi-Wadcutter, Bevel Base	Wadcutter, Bevel Base	Wadcutter	Double-Ended Wadcutter, Bevel Base

PISTOL MOLDS	38 Spl, 357 Mag								
Mold #	#348	#382	#388	#390	#391	#398	#393	#353	#354
Bullet Diameter	0.358	0.358	0.358	0.358	0.358	0.358	0.358	0.358	0.358
Bullet Weight	148 Gr	158 Gr	158 Gr	158 Gr	158 Gr	158 Gr	162 Gr	180 Gr	180 Gr
2-Cavity	321-140	332-042	339-231	342-683	353-761	145-059	361-372	724-735	373-261
3-Cavity	855-723	493-546	216-438	896-040	544-742	387-112	588-782	129-734	512-659
4-Cavity	322-527	332-616	339-300	343-588	356-074	359-894	362-912	365-742	374-271
Saeco Top Punch	781-505	791-021	791-021	780-074	780-074	790-562	791-021	782-271	782-271
Saeco Top Punch for Lyman/RCBS Type	857-589	866-164	866-164	857-130	857-130	863-906	866-164	859-021	859-021
Style:	Double-Ended Wadcutter, Bevel Base	Semi-Wadcutter	Semi-Wadcutter, Bevel Base	Round Nose	Round Nose, Bevel Base	Truncated Cone	Semi-Wadcutter, Gas Check	Flat Nose	Flat Nose, Gas Check



All Cavity Mold Handles
Fits all Saeco molds

505-481 \$40.99

PRICING

1-Cavity Magnum \$83.99
2-Cavity \$92.99 **3-Cavity \$122.99**
2-Cavity Magnum \$107.99
4-Cavity \$150.99
Mold handles not included.
Saeco Top Punches \$15.49

BULLET ILLUSTRATIONS NOT TO SCALE.



PISTOL MOLDS	38 Spl, 357 Mag					9x18mm (9mm Makarov)	40 S&W, 10mm		
Mold #	#396	#399	#351	#356	#395	#940	#040	#045	#043
Bullet Diameter	0.358	0.358	0.358	0.358	0.358	0.365	0.401	0.401	0.401
Bullet Weight	180 Gr	180 Gr	200 Gr	200 Gr	200 Gr	100 Gr	155 Gr	170 Gr	170 Gr
1-Cavity Magnum	-	-	-	-	-	277-891	417-061	428-069	423-277
2-Cavity	375-046	378-628	713-109	389-200	398-679	278-818	417-413	428-913	423-675
3-Cavity	941-347	186-741	913-888	943-493	994-646	792-937	517-200	344-244	779-707
4-Cavity	376-210	379-555	384-829	555-932	400-150	279-040	419-012	429-372	424-287
Saeco Top Punch	790-562	790-562	780-074	780-074	790-562	795-860	804-495	804-495	803-990
Saeco Top Punch for Lyman/RCBS Type	863-906	863-906	857-130	857-130	863-906	871-462	875-842	875-842	874-984
Style:	Truncated Cone	Truncated Cone, Gas Check	Flat Nose	Flat Nose, Gas Check	Truncated Cone, Gas Check	Round Nose, Bevel Base	Semi-Wadcutter, Bevel Base	Semi-Wadcutter, Bevel Base	Truncated Cone, Bevel Base

PISTOL MOLDS	40 S&W, 10mm		41 Auto		41 Rem Mag				
Mold #	#047	#048	#416	#419	#412	#409	#417	#413	#415
Bullet Diameter	0.401	0.401	0.411	0.411	0.411	0.411	0.411	0.411	0.411
Bullet Weight	200 Gr	200 Gr	170 Gr	200 Gr	185 Gr	190 Gr	210 Gr	210 Gr	220 Gr
1-Cavity Magnum	431-875	434-845	438-581	464-895	-	-	-	-	-
2-Cavity	432-274	437-089	442-938	465-469	446-651	453-886	475-100	471-624	477-014
3-Cavity	286-719	299-570	743-701	169-719	712-149	871-632	588-379	693-268	273-538
4-Cavity	432-709	437-640	442-998	465-867	448-764	454-038	475-123	472-612	477-932
Saeco Top Punch	803-990	804-495	806-432	806-432	808-829	806-234	808-829	806-234	806-234
Saeco Top Punch for Lyman/RCBS Type	874-984	875-842	880-198	880-198	881-561	880-189	881-561	880-189	880-189
Style:	Truncated Cone, Bevel Base	Semi-Wadcutter, Bevel Base	Semi-Wadcutter, Bevel Base	Semi-Wadcutter, Bevel Base	Semi-Wadcutter	Truncated Cone	Semi-Wadcutter	Truncated Cone, Bevel Base	Truncated Cone, Gas Check


RIFLE MOLDS	41 Rem Mag				44 Spl, 44 Rem Mag				
Mold #	#410	#418	#944	#420	#445	#439	#440	#424	#428
Bullet Diameter	0.411	0.411	0.43	0.43	0.43	0.43	0.43	0.43	0.43
Bullet Weight	220 Gr	220 Gr	200 Gr	200 Gr	220 Gr	240 Gr	240 Gr	240 Gr	240 Gr
2-Cavity	480-375	486-461	509-153	507-087	518-164	541-094	550-349	525-775	531-225
3-Cavity	776-783	141-941	356-781	482-658	968-911	852-040	817-720	311-516	510-449
4-Cavity	482-335	486-929	507-698	509-460	520-478	542-196	550-878	526-234	533-469
Saeco Top Punch	806-234	808-829	813-575	814-938	810-743	812-657	812-657	813-575	813-575
Saeco Top Punch for Lyman/RCBS Type	880-189	881-561	884-416	887-272	882-479	884-087	884-087	884-416	884-416
Style:	Flat Nose	Semi-Wadcutter, Bevel Base	Wadcutter	Truncated Cone	Semi-Wadcutter, Bevel Base	Semi-Wadcutter, Gas Check	Semi-Wadcutter, Bevel Base	Truncated Cone, Gas Check	Truncated Cone

PRICING

1-Cavity Magnum \$83.99
 2-Cavity \$92.99 3-Cavity \$122.99
 2-Cavity Magnum \$107.99
 4-Cavity \$150.99
Mold handles not included.
 Saeco Top Punches \$15.49

All Cavity Mold Handles
Fits all Saeco molds

505-481 \$40.99



BULLET ILLUSTRATIONS NOT TO SCALE.



PISTOL MOLDS	44 Spl, 44 Rem Mag						45 Cal		
Mold #	#441	#442	#431	#430	#432	#433	#062	#065	#066
Bullet Diameter	0.43	0.43	0.43	0.43	0.43	0.43	0.452	0.452	0.452
Bullet Weight	240 Gr	246 Gr	250 Gr	265 Gr	265 Gr	300 Gr	215 Gr	180 Gr	180 Gr
1-Cavity Magnum	-	-	-	-	-	-	594-387	597-357	612-135
2-Cavity	556-445	570-386	576-648	579-045	582-956	586-363	594-869	599-119	612-745
3-Cavity	391-272	478-713	581-405	672-682	213-324	594-937	658-668	113-968	926-870
4-Cavity	557-455	570-868	577-682	579-610	583-002	586-647	594-961	599-753	614-108
Saeco Top Punch	812-657	812-482	810-743	810-743	810-743	810-743	823-206	823-054	823-054
Saeco Top Punch for Lyman/RCBS Type	884-087	883-972	882-479	882-479	882-479	882-479	894-071	-	-
Style:	Semi-Wadcutter	Round Nose	Flat Nose, Gas Check	Flat Nose	Flat Nose, Gas Check	Flat Nose, Gas Check	Semi-Wadcutter, Bevel Base	Semi-Wadcutter, Bevel Base	Semi-Wadcutter

PISTOL MOLDS	45 Cal								
Mold #	#130	#131	#068	#069	#265	#058	#067	#456	#457
Bullet Diameter	0.452	0.452	0.452	0.452	0.452	0.452	0.452	0.452	0.452
Bullet Weight	185 Gr	185 Gr	200 Gr	200 Gr	210 Gr	215 Gr	225 Gr	225 Gr	225 Gr
1-Cavity Magnum	602-525	605-359	617-385	620-861	-	627-958	630-294	637-038	640-361
2-Cavity	603-077	608-412	618-840	353-536	624-222	628-004	630-469	637-483	640-384
3-Cavity	668-244	293-389	491-218	442-409	853-228	450-772	125-895	321-214	722-523
4-Cavity	604-959	609-293	619-736	621-168	624-666	628-403	631-327	637-566	640-996
Saeco Top Punch	819-869	819-869	823-054	823-054	815-558	822-150	816-439	827-364	827-364
Saeco Top Punch for Lyman/RCBS Type	892-240	892-240	-	-	889-384	-	891-299	896-091	896-091
Style:	Semi-Wadcutter	Semi-Wadcutter, Bevel Base	Semi-Wadcutter, Bevel Base	Semi-Wadcutter	Round Nose, Wadcutter	Semi-Wadcutter, Bevel Base	Truncated Cone, Bevel Base	Round Nose	Round Nose, Bevel Base

PISTOL MOLDS	45 Cal				
Mold #	#453	#945	#458	#454	#452
Bullet Diameter	0.452	0.452	0.452	0.452	0.455
Bullet Weight	225 Gr	255 Gr	255 Gr	300 Gr	255 Gr
1-Cavity Magnum	644-781	666-437	664-324	675-531	655-749
2-Cavity	646-715	667-332	665-426	676-986	655-856
3-Cavity	680-147	137-605	566-920	750-478	915-831
4-Cavity	648-032	668-658	665-909	677-445	656-231
Saeco Top Punch	822-150	822-150	822-150	822-150	822-150
Saeco Top Punch for Lyman/RCBS Type	-	-	-	-	-
Style:	Wadcutter	Semi-Wadcutter, Gas Check	Semi-Wadcutter	Semi-Wadcutter, Gas Check	Semi-Wadcutter

All Cavity Mold Handles
Fits all Saeco molds
505-481 \$40.99

PRICING

1-Cavity Magnum \$83.99
2-Cavity \$92.99 **3-Cavity \$122.99**
2-Cavity Magnum \$107.99
4-Cavity \$150.99
Mold handles not included.
Saeco Top Punches \$15.49

BULLET ILLUSTRATIONS NOT TO SCALE.

Walter's Wads

Over Powder Wads

Used primarily for loading black powder cartridges used in long-range target and cowboy action shooting. Made from a vegetable fiber gasket-type material and pre-cut for many popular calibers. Fire and water resistant, biodegradable and NRA approved for Black Powder Cartridge Nationals. The smooth cut sides leave no barrel residue.



0.030" Thick	Product #	Price
25 Cal (260 Dia.)	103-082	\$19.99
32 Cal (322 Dia.)	113-608	\$19.99
38 Spl, 357 Mag, 35 Cal (360 Dia.)	132-320	\$19.99
38-55 Cal (.386 Dia.)	184-120	\$19.99
40 Cal (410 Dia.)	194-952	\$19.99
40 Cal (416 Dia.)	254-118	\$19.99
44-40 WCF, 44 Spl, 44 Rem Mag (432 Dia.)	514-488	\$19.99
43 Spanish (439 Dia.)	522-618	\$19.99
45 Colt (LC) (451 Dia.)	612-782	\$19.99
45 Cal (462 Dia.)	631-494	\$19.99
50 Cal (512 Dia.)	753-292	\$19.99
50 Cal (518 Dia.)	814-623	\$19.99

0.060" Thick	Product #	Price
25 Cal (260 Dia.)	110-271	\$19.99
32 Cal (322 Dia.)	117-001	\$19.99
38 Spl, 357 Mag, 35 Cal (360 Dia.)	176-241	\$19.99
38-55 Cal (.386 Dia.)	188-553	\$19.99
40 Cal (410 Dia.)	242-595	\$19.99
40 Cal (416 Dia.)	433-450	\$19.99
44-40 WCF, 44 Spl, 44 Rem Mag (432 Dia.)	517-826	\$19.99
43 Spanish (439 Dia.)	583-545	\$19.99
45 Colt (LC) (451 Dia.)	617-575	\$19.99
45 Cal (462 Dia.)	739-373	\$19.99
50 Cal (512 Dia.)	758-084	\$19.99
50 Cal (518 Dia.)	876-490	\$19.99



RIFLE MOLDS	22 Cal	243 Cal, 6mm	25 Cal	6.5mm	270 Cal	7mm			
Mold #	#221	#243	#257	#264	#270	#281	#070	#071	#073
Bullet Diameter	0.225	0.244	0.258	0.264	0.278	0.285	0.285	0.285	0.285
Bullet Weight	60 Gr	85 Gr	100 Gr	140 Gr	140 Gr	145 Gr	145 Gr	160 Gr	165 Gr
1-Cavity Magnum	100-242	102-799	106-535	107-583	110-906	113-511	115-592	118-395	121-395
2-Cavity	102-179	103-504	106-925	109-015	111-161	113-534	115-824	118-448	121-664
3-Cavity	722-580	296-457	912-258	385-593	954-932	142-326	864-301	129-070	640-504
4-Cavity	102-341	104-199	107-017	109-827	111-305	114-062	116-458	119-105	122-522
Saeco Top Punch	765-497	766-027	766-622	768-490	769-830	686-447	772-310	772-310	772-310
Saeco Top Punch for Lyman/RCBS Type	841-765	841-918	842-224	842-400	842-753	843-327	846-251	846-251	846-251
Style:	Spitzer Point, Gas Check	Truncated Cone, Gas Check	Truncated Cone, Gas Check	Spitzer Point, Gas Check	Truncated Cone, Gas Check	Flat Nose, Gas Check	Truncated Cone, Gas Check	Truncated Cone, Gas Check	Spitzer Point, Gas Check

RIFLE MOLDS	30 Cal					31 Cal	8mm	35 Cal	
Mold #	#254	#302	#316	#311	#307	#301	#305	#081	#352
Bullet Diameter	0.309	0.309	0.309	0.309	0.309	0.309	0.311	0.323 to 0.324	0.358
Bullet Weight	115 Gr	120 Gr	150 Gr	165 Gr	180 Gr	196 Gr	180 Gr	190 Gr	245 Gr
1-Cavity Magnum	123-977	-	128-922	130-559	134-318	138-461	137-311	162-224	407-828
2-Cavity	124-129	125-914	128-945	130-661	134-433	139-624	137-367	162-777	408-463
3-Cavity	978-041	723-563	616-463	215-740	615-384	763-044	513-018	359-147	-
4-Cavity	124-802	126-419	129-970	130-744	135-796	139-871	137-817	163-625	410-730
Saeco Top Punch	774-669	774-669	774-821	774-270	774-821	774-270	774-821	774-821	780-074
Saeco Top Punch for Lyman/RCBS Type	851-434	851-434	851-833	848-142	851-833	848-142	851-833	851-833	857-130
Style:	Round Nose, Bevel Base	Round Nose, Gas Check	Flat Nose, Gas Check	Truncated Cone, Gas Check	Flat Nose, Gas Check	Truncated Cone, Gas Check	Flat Nose, Gas Check	Round Nose, Gas Check	Flat Nose, Gas Check

RIFLE MOLDS	375 Cal		45 Cal						
Mold #	#373	#015	#017	#023	#018	#019	#022	#020	
Bullet Diameter	0.376	0.458 to 0.459	0.458 to 0.459	0.458 to 0.459	0.458 to 0.459	0.458 to 0.459	0.458 to 0.459	0.458 to 0.459	0.458 to 0.459
Bullet Weight	265 Gr	300 Gr	350 Gr	375 Gr	405 Gr	465 Gr	500 Gr	540 Gr	
1-Cavity Magnum	165-173	679-359	176-487	178-577	177-155	178-049	179-986	185-567	
2-Cavity	165-724	679-819	-	-	-	-	-	-	
2-Cavity Magnum	-	-	176-802	179-198	177-660	178-326	181-204	186-072	
3-Cavity	884-898	-	-	-	-	-	-	-	
4-Cavity	166-298	682-706	-	-	-	-	-	-	
Saeco Top Punch	803-861	815-030	815-030	827-540	815-030	815-030	824-110	824-110	
Saeco Top Punch for Lyman/RCBS Type	873-904	887-823	887-823	896-421	887-823	887-823	895-095	895-095	
Style:	Flat Nose, Gas Check	Flat Nose	Flat Nose, Gas Check	Spitzer Point	Flat Nose	Flat Nose, Gas Check	Flat Nose	Flat Nose, Gas Check	


PRICING

1-Cavity Magnum \$83.99
 2-Cavity \$92.99 3-Cavity \$122.99
 2-Cavity Magnum \$107.99
 4-Cavity \$150.99
Mold handles not included.
 Saeco Top Punches \$15.49

All Cavity Mold Handles

Fits all Saeco molds

505-481 \$40.99



BULLET ILLUSTRATIONS NOT TO SCALE.



Traditional Bullet Molds for Blackpowder Cartridges and Cowby Action Shooting

PISTOL MOLDS	38 Spl, 357 Mag	44 Spl, 44 Rem Mag		45 Cal	
Mold #	#358	#446	#429	#954	#955
Bullet Diameter	0.358	0.43	0.43	0.452 to 0.454	0.452 to 0.454
Bullet Weight	158 Gr	200 Gr	240 Gr	230 Gr	255 Gr
1-Cavity Magnum	-	-	-	651-086	670-655
2-Cavity	325-932	503-388	536-439	651-416	670-716
3-Cavity	515-517	162-484	330-668	127-451	934-594
4-Cavity	326-331	504-774	538-698	652-403	671-183
Saeco Top Punch	782-271	810-743	810-743	822-150	822-150
Saeco Top Punch for Lyman/RCBS Type	859-021	882-479	882-479	893-167	893-167
Style:	Flat Nose	Flat Nose	Flat Nose	Flat Nose	Flat Nose

PRICING


1-Cavity Magnum \$83.99
 2-Cavity \$92.99 3-Cavity \$122.99
 2-Cavity Magnum \$107.99
 4-Cavity \$150.99
Mold handles not included.
Saeco Top Punches \$15.49

RIFLE MOLDS	30-30 Win		32-20 WCF	32-40 WCF		38-55 WCF			
Mold #	#630	#315	#322	#632	#732	#638	#738	#571	#401
Bullet Diameter	0.309	0.3015	0.313	0.324	0.314	0.375	0.375	0.375	0.401
Bullet Weight	140 Gr	175 Gr	118 Gr	165 Gr	200 Gr	225 Gr	255 Gr	300 Gr	190 Gr
1-Cavity Magnum	127-657	132-222	158-489	159-638	161-529	168-380	170-494	202-702	174-016
2-Cavity	127-703	132-245	158-957	159-842	-	168-394	171-824	-	174-322
2-Cavity Magnum	-	-	-	-	161-942	-	-	173-587	-
3-Cavity	540-508	-	920-241	654-457	-	160-548	554-779	-	431-347
4-Cavity	127-981	133-126	159-003	160-723	-	168-463	172-315	-	174-475
Saeco Top Punch	774-821	774-339	773-283	774-821	774-821	803-861	803-861	803-861	804-986
Saeco Top Punch for Lyman/RCBS Type	851-833	849-130	847-017	851-833	851-833	873-904	873-904	873-904	875-888
Style:	Flat Nose	Truncated Cone, Gas Check	Flat Nose	Flat Nose	Flat Nose	Flat Nose	Flat Nose	Flat Nose, Magnum	Flat Nose

RIFLE MOLDS	40 Cal		44-40 WCF	45 Cal		
Mold #	#640	#740	#444	#881	#645	#745
Bullet Diameter	0.408 to 0.410	0.408 to 0.410	0.428	0.458	0.458 to 0.460	0.458 to 0.460
Bullet Weight	370 Gr	410 Gr	200 Gr	500 Gr	480 Gr	525 Gr
1-Cavity Magnum	174-934	175-147	493-283	181-465	186-119	187-106
2-Cavity	-	-	493-297	-	186-938	-
2-Cavity Magnum	175-064	175-838	-	185-447	-	187-796
3-Cavity	-	-	618-273	-	-	-
4-Cavity	-	-	494-141	-	-	-
Saeco Top Punch	805-844	805-844	810-743	824-110	824-110	824-110
Saeco Top Punch for Lyman/RCBS Type	876-301	876-301	882-479	895-095	895-095	895-095
Style:	Semi-Point	Semi-Point	Flat Nose	Round Nose	Semi-Point	Semi-Point

All Cavity Mold Handles
Fits all Saeco molds

505-481 \$40.99



BULLET ILLUSTRATIONS NOT TO SCALE.

LEE

Combination Mold



This 2-cavity mold casts one R.E.A.L. bullet and one round ball. Handles included.

Description	Product #	Price
45 Cal 200 Gr R.E.A.L. Bullet and 440 Dia. Round Ball	612-239	\$19.79
50 Cal 320 Gr R.E.A.L. Bullet and 490 Dia. Round Ball	362-053	\$19.79

R.E.A.L. (Rifling Engraved At Loading) Mold

This solid bullet loads easily even in a dirty barrel because of the unique cleaning action. Will not tumble in flight which makes it a perfect hunting bullet with heavy loads. Hard-hitting and accurate, even in oversized barrels. Handles included. Aluminum.



1-Cavity	Bullet Weight	Product #	Price
54 Cal (557 Dia.)	380 Gr	538-690	\$15.79
2-Cavity	Bullet Weight	Product #	Price
45 Cal (467 Dia.)	200 Gr	147-264	\$19.79
45 Cal (467 Dia.)	250 Gr	153-994	\$19.79
50 Cal (517 Dia.)	250 Gr	130-069	\$19.79
50 Cal (517 Dia.)	320 Gr	475-901	\$19.79
54 Cal (557 Dia.)	300 Gr	209-650	\$19.79
54 Cal (557 Dia.)	380 Gr	781-597	\$19.79
58 Cal (592 Dia.)	440 Gr	114-533	\$19.79

Original Minie Ball Mold

This 1-cavity, 58 caliber (575 Dia.) Minie Ball Mold is a must for authentic muzzleloader shooting. 500 grain. Handles included. Aluminum.



460-281\$19.79

Modern Minie Ball Mold

This is Lee's most accurate Minie Ball mold. Specifically designed for target applications. Handles included. Aluminum.



Description	Bullet Weight	Product #	Price
500 Dia.	354 Gr	516-446	\$19.79
575 Dia.	470 Gr	103-304	\$19.79

Improved Minie Ball Mold

Improved design is easier to cast and load. Handles included. Aluminum.



Description	Bullet Weight	Product #	Price
450 Dia.	294 Gr	576-925	\$19.79
454 Dia.	298 Gr	226-848	\$19.79
500 Dia.	360 Gr	559-933	\$19.79
533 Dia.	410 Gr	455-685	\$19.79
540 Dia.	415 Gr	382-559	\$19.79
575 Dia.	472 Gr	350-286	\$19.79
578 Dia.	478 Gr	494-551	\$19.79

Lyman Black Powder Bullet Mold

These molds feature large deep lube grooves to keep fouling soft and ensure good accuracy without leading. Minie and Maxi-Ball molds are exactly reproduced from originals used over 100 years ago. The 58 Caliber Blue-Gray Target mold was designed for North-South skirmish matches. It is ballistically improved with larger lube grooves required for longer 58 Caliber musket barrels. The Plains bullet molds offers the traditional muzzleloader a tapered bullet design for easy loading. Mold handles sold separately.

RCBS

Minie Ball Mold

- Machined cast iron mold blocks
- Steel sprue plate
- Handles sold separately



Description	Weight	Product #	Price
575 Dia.	500 Gr	385-368	\$87.99

	45 Cal Maxi-Ball	45 Cal Whitworth	50 Cal Maxi-Ball	50 Cal Plains	54 Cal Minie Ball	54 Cal Plains
Mold #	#454616	#457121PH	#504617	#508656	#542622	#548657
Bullet Diameter	0.454	0.457	0.504	0.508	0.542	0.548
Bullet Weight	245 Gr	475 Gr	370 Gr	395 Gr	425 Gr	450 Gr
1-Cavity	500-283	506-017	515-625	527-124	555-926	551-592

	58 Cal Minie Ball	58 Cal Old Style Minie Ball	58 Cal New Style Minie Ball	58 Cal Parker Hale Minie Ball	58 Cal Minie Ball	58 Cal Blue-Gray Target Minie Ball	69 Cal Musket Minie Ball
Mold #	#575494	#575213	#575213	#575213PH	#577611	#578675	#68569
Bullet Diameter	0.575	0.575	0.575	0.575	0.575	0.578	0.685
Bullet Weight	315 Gr	460 Gr	510 Gr	566 Gr	530 Gr	405 Gr	730 Gr
1-Cavity	566-484	589-474	592-352	609-127	630-234	637-400	639-797

Lyman Bullet Mold Handles

1-Cavity and 2-Cavity
698-819
\$32.99



PRICING

- 1-Cavity \$61.99
 - 2-Cavity \$61.99
 - 4-Cavity \$84.99
- Mold handles not included.

Lead Warning p. 457

BULLET ILLUSTRATIONS NOT TO SCALE.



North-South Skirmish Hodgdon-Style Bullet Mold

This 1-cavity mold includes two base plugs, a hollow base and flat base. Adjustable mold has a base plug that can be adjusted for depth, allowing for a wide range of bullet weights. Fixed mold is not adjustable. The 540 Diameter mold comes with the Hollow Base Plug only. Handles not included.



Adjustable	Weight	Product #	Price
500 Dia.....	253-566 Gr.....	562-787	\$89.99
520 Dia.....	260-600 Gr.....	568-575	\$89.99
540 Dia.....	315-678 Gr.....	583-894	\$89.99
Fixed	Weight	Product #	Price
576 Dia.....	412 Gr.....	483-663	\$89.99
578 Dia.....	414 Gr.....	494-726	\$89.99
580 Dia.....	416 Gr.....	538-341	\$89.99
584 Dia.....	419 Gr.....	558-990	\$89.99

Mold Mallet

Over time using a metal object to tap cast lead bullets out of a mold can cause serious damage and prematurely wear out the mold. This wooden mallet safely knocks the bullet out without damaging the mold or handles.



317-430.....\$11.99



Maxi Ball Mold

- Machined cast iron mold blocks
- Steel sprue plate
- Handles sold separately

1-Cavity	Weight	Product #	Price
#502 (50 Dia.).....	375 Gr.....	312-374	\$83.99
#503 (54 Dia.).....	480 Gr.....	987-294	\$83.99



Shotgun Slug Mold

Lee Slug Mold features the exclusive drive key which positively rotates the slug in a rifled shotgun barrel. Mold comes with a sprue plate, handles and complete instructions. 1-cavity. Aluminum.



12 Ga	Product #	Price
7/8 oz.....	792-313	\$19.49
1 oz.....	770-274	\$19.49

Lyman 1-Cavity Shotgun Sabot Slug Mold


The Lyman Sabot Slugs are designed to fit standard shotgun wads and a star crimp. No special roll crimping tools are necessary. Load data included with mold. Requires large mold handles (sold separately).



20 Ga	Diameter	Product #	Price
350 Gr.....	0.576	236-595	\$61.99
12 Ga	Diameter	Product #	Price
525 Gr.....	0.681	778-041	\$61.99

1-Cavity Foster-Style Shotgun Slug Mold

These molds cast perfect hollow base Foster-style slugs which do not require rifling. Slug molds are 1-cavity and are cut into the larger double cavity block. Requires large mold handles (sold separately).



20 Ga	Diameter	Product #	Price
345 Gr.....	0.605	491-639	\$61.99
12 Ga	Diameter	Product #	Price
475 Gr.....	0.705	481-595	\$61.99



Round Ball Mold

- Tangential cut off to eliminate the nib at the sprue
- Handles included
- Aluminum



2-Cavity	Product #	Price	2-Cavity	Product #	Price
311 Dia.....	281-555	\$18.99	454 Dia.....	369-899	\$18.99
375 Dia.....	323-933	\$18.99	457 Dia.....	392-895	\$18.99
380 Dia.....	519-841	\$18.99	490 Dia.....	378-295	\$18.99
433 Dia.....	690-922	\$18.99	495 Dia.....	313-892	\$18.99
440 Dia.....	768-602	\$18.99	530 Dia.....	154-453	\$18.99
445 Dia.....	792-631	\$18.99	535 Dia.....	177-790	\$18.99
451 Dia.....	152-714	\$18.99	562 Dia.....	367-477	\$18.99



Round Ball Mold

- Machined steel mold block
- Steel sprue plate
- Handles not included



1-Cavity	Product #	Price	2-Cavity	Product #	Price
500 Dia.....	752-032	\$61.99	375 Dia.....	643-188	\$61.99
530 Dia.....	757-284	\$61.99	440 Dia.....	651-342	\$61.99
535 Dia.....	799-503	\$61.99	445 Dia.....	653-256	\$61.99
570 Dia.....	814-818	\$61.99	451 Dia.....	654-197	\$61.99
600 Dia.....	825-422	\$61.99	454 Dia.....	687-286	\$61.99
610 Dia.....	830-215	\$61.99	457 Dia.....	693-557	\$61.99
662 Dia.....	833-070	\$61.99	490 Dia.....	714-925	\$61.99
690 Dia.....	837-840	\$61.99	495 Dia.....	744-361	\$61.99
715 Dia.....	843-597	\$61.99			
735 Dia.....	846-989	\$61.99			



Round Ball Mold

- Machined, cast iron mold
- Steel alignment pins
- Handles sold separately



1-Cavity	Product #	Price	2-Cavity	Product #	Price
520 Dia.....	845-292	\$119.99	410 Dia.....	718-242	\$119.99
562 Dia.....	847-229	\$119.99	435 Dia.....	393-553	\$71.99
610 Dia.....	861-148	\$119.99	440 Dia.....	399-287	\$71.99
678 Dia.....	873-106	\$119.99	451 Dia.....	425-187	\$71.99
2-Cavity	Product #	Price	454 Dia.....	726-427	\$119.99
330 Dia.....	631-447	\$119.99	457 Dia.....	440-506	\$71.99
350 Dia.....	633-866	\$119.99	464 Dia.....	807-442	\$119.99
354 Dia.....	635-781	\$119.99	490 Dia.....	459-241	\$71.99
375 Dia.....	676-059	\$119.99	495 Dia.....	818-933	\$119.99
395 Dia.....	677-482	\$119.99			



Round Ball Mold

- Machined cast iron mold blocks
- Steel sprue plate
- Handles sold separately



1-Cavity	Product #	Price	1-Cavity	Product #	Price
#150 (350 Dia.).....	786-040	\$83.99	#161 (535 Dia.).....	719-390	\$83.99
#151 (375 Dia.).....	783-891	\$83.99	#162 (570 Dia.).....	895-732	\$83.99
#153 (440 Dia.).....	382-036	\$83.99	#163 #4 Buckshot		
#155 (451 Dia.).....	130-896	\$83.99	(24 Dia.).....	658-222	\$83.99
#156 (454 Dia.).....	973-667	\$83.99	#167 000 Buckshot		
#158 (490 Dia.).....	388-358	\$83.99	(36 Dia.).....	936-762	\$83.99
#159 (495 Dia.).....	131-810	\$83.99	#168 (380 Dia.).....	776-090	\$83.99
#160 (530 Dia.).....	370-066	\$83.99	#173 (321 Dia.).....	661-711	\$83.99

LEE

Replacement Sprue Plate for 6-Cavity Bullet Mold

Factory replacement Sprue Plate, fits any of the 6-cavity Lee molds.



280-102.....\$7.49

Lead Hardness Testing Kit


The Lee Lead Hardness Testing Kit determines the exact Brinell Hardness of an alloy with a simple, six step process. The process involves pressing a hardened steel indenter ball into the bullet through the use of a standard single stage press. The indentation is measured with the Lee Pocket Microscope (included), and the measurement is located on the supplied chart to determine the Brinell Hardness Number.



731-364.....\$50.99

Lead Dipper

Description	Product #	Price
Lee	161-177	\$3.99
Lyman	286-579	\$18.29
RCBS (Pictured)	283-142	\$24.99



Lyman 1 and 2-Cavity Mold Block Box

Spare mold box is made of tough plastic with a snap-lock cover. Impervious to moisture, bore cleaner or oil. Includes blank label. Fits single and double cavity molds only.

Description	Product #	Price
Single Box	768-156	\$1.99
Package of 10	769-973	\$15.99

Bullet Mold Rebuild Kit

Rebuild a well-used Lyman Mold to like new condition. Rebuild kit provides replacement of those moving parts which may tend to wear after long use. Includes sprue cutter, washer and all screws for block and handle.

Description	Product #	Price
1-Cavity Mold	869-038	\$7.89
2-Cavity Mold	888-667	\$7.89
4-Cavity Mold	894-456	\$12.49

SAECO

Lead Hardness Tester

A precision instrument to accurately determine bullet hardness. This tester will pay for itself many times over by allowing the user to convert inexpensive scrap lead of unknown composition into casting alloy of known and reproducible hardness. It provides a standard to check the quality of cast bullets. Measures alloy hardness by determining the depth of penetration of a hardened steel indenter into a bullet. Relative hardness is measured with the Saeco Vernier scale not with the Brinell Hardness Scale. Works for bullets up to 45 caliber.



193-445.....\$148.99

Quality Alloys & Products



NEY Certified Bullet Casting Alloy

Pure Lead is the traditional alloy for muzzleloading projectiles including round balls, conicals and Minie balls. 20 to 1 has been the standard Black Powder cartridge alloy since the 1870s. However, the softer 30 to 1 is preferred by many of today's Black Powder cartridge shooters. Hardball is a modern version of the old Lyman #2 alloy and is an excellent all-around alloy for most handgun bullets and many higher velocity rifle cartridges. Linotype is a very hard alloy that is good for target shooting at high velocities and is often used as a basis for blending special alloys that require a high percentage of antimony. The addition of tin to casting alloys allows the molten alloy to fill the mold more completely. Tin can also be used as a hardening agent. All alloys are sold by the ingot, not by weight.

	Approx. Weight	Brinell Hardness	Product #	Price
20 to 1 (20 Parts Lead to 1 Part Tin)				
1 Ingot	7.65 lbs	10	313-539	\$31.99
4 Ingots	30.60 lbs	10	416-626	\$122.99
30 to 1 (30 Parts Lead to 1 Part Tin)				
1 Ingot	7.50 lbs	8	536-028	\$27.99
4 Ingots	30 lbs	8	552-802	\$99.99
Hardball (2% Tin, 6% Antimony, 92% Lead)				
1 Ingot	7.40 lbs	16	570-058	\$27.99
4 Ingots	29.60 lbs	16	651-097	\$99.99
Linotype (4% Tin, 12% Antimony, 84% Lead)				
1 Ingot	7 lbs	22	790-609	\$27.99
4 Ingots	28 lbs	22	820-843	\$99.99
Pure Lead (99.97% Pure)				
1 Ingot	7.70 lbs	6	144-043	\$24.99
4 Ingots	30.80 lbs	6	174-735	\$92.99
Pure Tin (99.85% Pure)				
1 Ingot	2 lbs	2.5	856-328	\$30.99

WARNING:



Melting lead and casting lead objects will expose you and others in the area to lead, which is known to cause birth defects, other reproductive harm and cancer.

Use Strong Ventilation



REDUCING EXPOSURE: Lead contamination in the air, in the dust, and on your skin is invisible. Keep children and pregnant women away during use and until cleanup is complete.

Risk can be reduced-but not eliminated-with strong ventilation; washing hands immediately after use of these products before eating or smoking; and careful cleaning of surfaces and floors with disposable wipes, after lead dust has had a chance to settle. Use a lead-specific cleaner with EDTA, or a high-phosphate detergent (like most detergents sold for electric dishwashers) and bag wipes for disposal.

Firearm-related activities may produce harmful buildups and dusts on work surfaces, work equipment and the hands. If left unchecked, these buildups

can be harmful to yourself and others in the area. The following actions can be taken to reduce the exposure to yourself and others in the area:

1. Keep children and pregnant women clear of the area
2. Always wash hands after completing firearm-related activities
3. Never eat, drink, smoke or apply cosmetics during firearm-related activities
4. Remove and launder clothing after completing firearm-related activities
5. Keep tabletops and equipment clean and clear of dusts and buildup
6. Provide ventilation, as airborne dusts and vapors can be harmful
7. Clean the area utilizing a vacuum cleaner equipped with a HEPA filter


For more information, please refer to the website www.oehha.ca.gov.

Bullet Casting Furnaces

LEE

Lyman

RCBS



LEE	Voltage	Capacity	Wattage	Design	Clearance	Melting Time	Product #	Price
Pro 4 (A)	110 Volt	20 lbs	700	Bottom Pour	4"	-	645-810	\$64.99
Pro 4	220 Volt Int'l	20 lbs	700	Bottom Pour	4"	-	721-153	\$67.99
Magnum Melter	110 Volt	20 lbs	700	Ladle	-	-	709-235	\$51.99
Production Pot 4 (B)	110 Volt	10 lbs	500	Bottom Pour	4"	20 mins	637-732	\$50.99
Production Pot 4	220 Volt Int'l	10 lbs	500	Bottom Pour	4"	20 mins	222-909	\$57.99
Precision Melter (C)	110 Volt	4 lbs	500	Ladle	-	15 mins	476-462	\$32.99
Precision Melter	220 Volt Int'l	4 lbs	500	Ladle	-	15 mins	210-973	\$38.99
LEE REPLACEMENT PARTS								
	Voltage	Product #	Price	Volt	Product #	Price		
Production Pot 4 Heating Coil	110 Volt	280-661	\$10.99	220 Volt Int'l	829-525	\$13.99		
Production Pot 4 Thermostat	110 Volt	191-446	\$7.19	220 Volt Int'l	516-277	\$8.09		
Pro 4 20 Replacement Coil	-	-	\$10.99	220 Volt Int'l	877-030	\$7.99		

LYMAN	Voltage	Capacity	Wattage	Design	Clearance	Melting Time	Product #	Price
Mag-20 (D)	110 Volt	20 lbs	800	Bottom Pour	4-3/8"	20 mins	162-692	\$272.99
Magdipper	110 Volt	20 lbs	800	Ladle	4-3/8"	20 mins	309-890	\$249.99
Mini-Mag	110 Volt	10 lbs	400	Ladle	-	30 mins	338-412	\$61.99
RCBS	Voltage	Capacity	Wattage	Design	Clearance	Melting Time	Product #	Price
Pro Melt (E)	110 Volt	22 lbs	800	Bottom Pour	4"	20 mins	209-097	\$354.99
Pro Melt	220 Volt Int'l	22 lbs	800	Bottom Pour	4"	20 mins	769-312	\$396.99

Master Casting Kit

- Mini-Mag Furnace holds up to 10 lbs of lead with a 30 minute melt time
- Features the Lyman 4500 Lube Sizer which sizes and lubes bullets with the addition of a top punch and sizing die (sold separately)
- Includes lead dipper, bullet lube, ingot mold and Lyman Cast Bullet Handbook
- Furnace does not have bottom pour capabilities

573-247\$169.99



Lyman

4500 Lube Sizer

The 4500 Lube Sizer is designed to lubricate and size cast bullets. Specifically for use with hard lubes, the 4500 is available with a heating element to make the process faster and easier. Features include solid one-piece bottom casting, ball knob handle for extra leverage, gas check seater and one stick of Lyman Super Moly Bullet Lube. Sizer dies and top punches sold separately. Uses hollow lube sticks only.

4500 Lube Sizer	Product #.....	Price
with Heating Element 110 Volt	655-459	\$157.99
with Heating Element		
220 Volt International.....	797-869	\$182.99
without Heating Element (Pictured).....	458-891	\$134.99
Accessories.....	Product #.....	Price
Heating Element 110 Volt.....	144-640	\$31.99
Heating Element 220 Volt International....	610-381	\$44.99
Gas Check Seater	335-653	\$9.29
<i>Works on the Lyman 450, 4500 Lube Sizers and the RCBS Lube-A-Matic-2 Sizer/Lubricator</i>		

Mold Guide

Compatible with all Lyman and similar mold designs. For use with Lyman bottom pour furnaces only.
868-073\$19.79



Lead Pot

Allows the bullet caster to use any heat source for melting lead alloy. Pot capacity is 10 lbs. Flat bottom prevents tipping.

Description	Product #.....	Price
Lyman (Pictured).....	855-578	\$15.99
RCBS.....	523-105	\$21.49



Lube Sizer Heater

The Lyman Lube Sizer Heater warms the Lube Sizer to the right temperature allowing smooth, effortless bullet lubrication. The mounting plate is drilled and tapped for Lyman 450 (not 4500), RCBS, Sacco and Star Lube Sizers. Mounting hardware included.

Description	Product #.....	Price
115 Volt.....	182-761	\$48.99
<i>Lyman rates this for a 115 Volt outlet but it is safe to plug into a standard 110 Volt outlet</i>		
220 Volt International.....	209-480	\$56.99



Casting Thermometer



With a temperature range from 200°F to 1000°F, this lead thermometer allows for lead to be poured at the optimum temperature. An adjustable 6" safety handle (RCBS only) helps prevent burning fingers.

Description	Product #	Price
Lyman (Pictured)	595-204	\$32.99
RCBS	357-906	\$51.99

Frankford Arsenal Reloading Tools Fine Powdered Mica



Designed for inside the case necks of bottleneck cartridges, this Mica based lubricant minimizes the distortion and stretching caused as the resizing die expander ball passes through the case neck. Mica is clean, easy to use and won't contaminate your powder charge. A little mica sprinkled on lubricated cast bullets significantly reduces stickiness and makes loading faster and easier. Use with the Frankford Arsenal Case Neck Lubricator. (Note: Full length sizing still requires a standard case sizing lube.)

Description	Product #	Price
1/10 oz.	595-942	\$4.59
4 oz.	290-522	\$9.99

LEE

Lube and Size Kit

Fastest and easiest way to lubricate and size cast bullets. Standard 7/8"-14 threads fit most single stage reloading presses. Bullets are pushed through the sizing die nose first, so special top punches are not required. Gas checks are automatically seated and crimped in place. Sized bullets are captured in the special container. A 4 oz bottle of Lee Liquid Alox bullet lube is included. For tumble lube application.



Description	Product #	Price	Description	Product #	Price
224 Dia.	550-436	\$15.49	357 Dia.	342-812	\$15.49
225 Dia.	104-209	\$15.49	358 Dia.	685-087	\$15.49
243 Dia.	280-715	\$15.49	401 Dia.	447-228	\$15.49
284 Dia.	368-679	\$15.49	410 Dia.	601-977	\$15.49
285 Dia.	130-471	\$15.49	427 Dia.	171-923	\$15.49
308 Dia.	235-241	\$15.49	429 Dia.	530-600	\$15.49
309 Dia.	501-819	\$15.49	430 Dia.	333-470	\$15.49
311 Dia.	523-184	\$15.49	451 Dia.	444-306	\$15.49
314 Dia.	480-814	\$15.49	452 Dia.	116-429	\$15.49
323 Dia.	738-062	\$15.49	454 Dia.	652-501	\$15.49
329 Dia.	496-681	\$15.49	457 Dia.	457-341	\$15.49
356 Dia.	343-992	\$15.49	501 Dia.	411-862	\$15.49
			510 Dia.	155-655	\$15.49

Liquid Bullet Lube

DGL

DGL	Qty	Product #	Price
Bullet Lube	12 oz tub	689-293	\$15.99

Designed for pan-lubing cast bullets for use in black powder cartridges, best for use between 1180 and 1260 fps and recommended by Shiloh Sharps Rifle Company

LEE

Lee	Qty	Product #	Price
Alox Bullet Lube	4 oz bottle	466-811	\$4.49

Coats the entire bullet, dries to a soft, varnish-like finish, does not affect powder, works well with all cast bullets and bullets designed for tumble lubing

Rooster

Rooster	Qty	Product #	Price
Jacket Waterproof Bullet Film Lube and Paper Patch Lube	16 oz bottle	746-916	\$13.99


Dries to a clear, waterproof film that bonds to cast, swaged or copper-jacketed bullets, works for low velocity (under 1,000 fps) pistol loads, can be applied by dipping, tumbling or flood coating. One bottle does approximately 6000 bullets.

Solid Bullet Lube

- Eliminate leading and improve the accuracy of cast bullets
- All sticks are 1" x 4" unless otherwise stated
- Lube heater is recommended for best results

Javelina	Style	Melting Temp	Prod #	Price
Alox	Hollow	190°F	653-882	\$5.29
	Solid	190°F	192-684	\$5.29
50% Alox, 50% Beeswax				
Lee	Style	Melting Temp	Prod #	Price
Alox	Hollow	N/A	632-694	\$5.99
50% Alox, 50% Beeswax				
Lyman	Style	Melting Temp	Prod #	Price
Alox	Hollow	130°F	785-628	\$4.79
50% Alox, 50% Beeswax				
Black Powder Gold	Hollow	130°F	637-649	\$4.99
Specifically for black powder cartridges and can be applied by hand to muzzleloader bullets.				
Ideal	Hollow	141°F	341-106	\$4.99
Non-Alox formula				
Orange Magic	Hollow	150°F	521-810	\$4.99
Perfect for rapid-fire pistol events because of its low smoke output.				
Super Moly	Hollow	150°F	461-543	\$4.69
Contains Molybdenum Disulfide (Moly) which can improve accuracy and velocity.				
RCBS	Style	Melting Temp	Prod #	Price
Pistol	Hollow	115°F	670-747	\$5.99
Non-toxic blend recommended for indoor and outdoor use.				
Rifle	Hollow	115°F	267-941	\$5.79
50% Alox, 50% Beeswax				
Rooster	Style	Melting Temp	Prod #	Price
Zambini	Hollow	220°F	526-800	\$3.99
	Solid	220°F	149-803	\$3.99
For pistol shooting with unlimited velocity				
Saeco	Style	Melting Temp	Prod #	Price
Alox	Hollow	140°F	712-801	\$6.79
	Solid	140°F	711-484	\$6.79
50% Alox, 50% Beeswax				
Gold	Hollow	140°F	120-084	\$6.79
	Solid	140°F	709-079	\$6.79
Alox-free lube formulated for pistols, but works equally well in rifles.				
Green	Hollow	140°F	309-145	\$6.79
	Solid	140°F	712-495	\$6.79
Formulated for use in rifle and pistol cartridges, slightly harder than other Saeco lubes.				
SPG	Style	Melting Temp	Prod #	Price
	Hollow	140°F	542-859	\$4.39
Black Powder	3/4 lb Block	140°F	318-261	\$25.99
	1-1/2 lb Block	140°F	837-822	\$45.99
	3 lb Block	140°F	242-193	\$82.99
Beeswax and other natural materials				
Thompson	Style	Melting Temp	Prod #	Price
Bear Cold	Hollow	90°F	352-552	\$5.99
	Solid	90°F	625-297	\$5.99
Alox-free, no heater required				
Bear Heat	Hollow	165°F	178-480	\$5.99
	Solid	165°F	952-963	\$5.99
Alox-free, 125-140°F flow point				
Blue Angel	Hollow	165°F	667-050	\$6.49
	Solid	165°F	254-626	\$6.49
Alox-free, 125-140°F flow point				
PS Black Powder	Hollow	165°F	715-411	\$6.89
Similar to Blue Angel but formulated for black powder use.				
Red Angel	Hollow	240°F	272-327	\$7.39
	Solid	240°F	125-515	\$7.39
Alox-free, 140°F flow point				

RCBS



Lube-A-Matic-2 Bullet Sizer/Lubricator

Sizes and lubricates cast bullets in one step. Just insert a bullet in the sizer die and pull the handle. A sized and lubricated bullet ejects on the upstroke. The fingertip regulator lets you fine-tune lubricant flow. Sizer also seats gas checks, uses hollow lube sticks and is compatible with both Lyman and RCBS Sizing Dies and Top Punches. Sizer dies and top punches sold separately. # 172-702.....\$164.99

Top Punches and Sizing Dies are available for use with Lyman, RCBS and Saeco Lubricators. Top Punches are precisely machined to fit bullet nose shapes exactly, eliminating nose deformation. Sizing Dies easily size and lube cast bullets. They feature a tapered mouth and hardened interior to ensure proper alignment for a perfectly round shape.

Lyman

Top Punch

Fits Lyman 450/4500 Lube Sizer and RCBS Lube-A-Matic-2 Bullet Sizer/Lubricator



Description . Product #..... Price	Description . Product #..... Price
#8.....596-142.....\$8.99	#421.....776-954.....\$8.99
#43.....456-794.....\$8.99	#424.....705-704.....\$8.99
#93.....479-143.....\$8.99	#429.....330-844.....\$8.99
#132.....218-830.....\$8.99	#430.....363-991.....\$8.99
#141.....146-387.....\$8.99	#438.....516-358.....\$8.99
#190.....588-115.....\$8.99	#449.....465-743.....\$8.99
#191.....636-771.....\$8.99	#460.....783-549.....\$8.99
#203.....536-649.....\$8.99	#463.....410-146.....\$8.99
#226.....766-872.....\$8.99	#465.....127-202.....\$8.99
#251.....478-536.....\$8.99	#467.....347-521.....\$8.99
#284.....222-221.....\$8.99	#470.....589-503.....\$8.99
#303.....274-764.....\$8.99	#495.....214-843.....\$8.99
#311.....137-831.....\$8.99	#637.....733-504.....\$8.99
#346.....711-660.....\$8.99	#641.....755-207.....\$8.99
#359.....220-564.....\$8.99	#644.....224-616.....\$8.99
#374.....307-803.....\$8.99	#646.....335-070.....\$8.99
#402.....140-182.....\$8.99	#649.....225-535.....\$8.99
#413.....427-690.....\$8.99	#658.....235-144.....\$8.99
#415.....661-459.....\$8.99	#663.....270-351.....\$8.99
#420.....563-972.....\$8.99	#677.....634-965.....\$8.99
	#678.....220-989.....\$8.99

Lyman RCBS
Sizing Die For Lyman and RCBS Sizer/Lubricators

Fits Lyman 450/4500 Lube Sizer and RCBS Lube-A-Matic-2 Bullet Sizer/Lubricator

Size	Lyman \$19.99	RCBS \$28.99	Size	Lyman \$19.99	RCBS \$28.99
224 Dia.	678-365	303-857	375 Dia.	137-289	648-158
225 Dia.	587-674	666-869	377 Dia.	129-828	405-866
228 Dia.	-	245-941	378 Dia.	191-527	716-732
243 Dia.	168-765	585-831	379 Dia.	551-971	-
244 Dia.	691-971	594-934	400 Dia.	500-446	678-369
251 Dia.	169-247	268-472	401 Dia.	446-377	238-922
257 Dia.	555-364	603-547	406 Dia.	194-360	329-917
258 Dia.	691-218	459-766	408 Dia.	203-027	679-792
264 Dia.	230-610	282-850	409 Dia.	462-281	-
265 Dia.	-	575-153	410 Dia.	579-580	768-820
266 Dia.	171-643	-	413 Dia.	534-133	-
277 Dia.	182-378	606-939	417 Dia.	-	700-153
278 Dia.	192-367	619-862	427 Dia.	382-507	657-743
284 Dia.	467-420	626-568	428 Dia.	766-107	447-797
285 Dia.	445-454	149-304	429 Dia.	303-998	292-948
308 Dia.	732-082	177-810	430 Dia.	598-640	177-793
309 Dia.	780-042	600-672	431 Dia.	442-518	485-576
310 Dia.	390-066	325-965	439 Dia.	203-509	693-825
311 Dia.	176-656	441-838	446 Dia.	215-950	188-334
312 Dia.	705-500	408-972	450 Dia.	436-485	328-692
313 Dia.	552-546	365-287	451 Dia.	481-258	751-691
314 Dia.	732-021	696-391	452 Dia.	435-551	639-796
321 Dia.	396-718	633-757	454 Dia.	481-594	613-444
323 Dia.	783-157	284-787	455 Dia.	-	330-799
325 Dia.	149-978	-	457 Dia.	684-659	290-769
338 Dia.	228-611	287-160	458 Dia.	332-904	771-548
349 Dia.	-	290-039	459 Dia.	748-241	-
354 Dia.	190-837	633-780	468 Dia.	-	358-636
355 Dia.	254-205	435-651	474 Dia.	-	365-825
356 Dia.	405-268	442-855	476 Dia.	-	623-405
357 Dia.	733-109	256-411	500 Dia.	-	726-319
358 Dia.	434-608	496-153	501 Dia.	333-845	-
359 Dia.	537-890	-	509 Dia.	298-710	-
360 Dia.	350-467	-	512 Dia.	120-718	550-870
363 Dia.	370-655	-	-	-	-



Top Punch

Fits the RCBS Lube-A-Matic-2 Bullet Sizer/Lubricator and the Lyman 450/4500 Lube Sizer.



Description . Product #..... Price	Description . Product #..... Price
#115.....135-950.....\$10.99	#554.....638-244.....\$10.99
#190.....226-906.....\$10.99	#556.....858-183.....\$10.99
#251.....386-933.....\$15.79	#558.....533-781.....\$10.99
#311.....696-636.....\$10.99	#560.....640-142.....\$15.79
#374.....128-391.....\$10.99	#562.....622-115.....\$10.99
#378.....687-742.....\$10.99	#565.....169-867.....\$10.99
#383.....212-648.....\$10.99	#570.....334-751.....\$10.99
#401.....583-747.....\$10.99	#575.....501-542.....\$15.79
#402.....734-930.....\$10.99	#580.....526-446.....\$15.79
#420.....746-911.....\$10.99	#585.....668-646.....\$10.99
#421.....613-968.....\$10.99	#595.....673-362.....\$10.99
#422.....629-381.....\$10.99	#600.....112-388.....\$10.99
#424.....331-607.....\$10.99	#607.....869-062.....\$10.99
#429.....683-989.....\$10.99	#608.....872-561.....\$10.99
#430.....765-331.....\$10.99	#609.....330-229.....\$10.99
#444.....558-513.....\$10.99	#611.....873-043.....\$10.99
#445.....601-374.....\$10.99	#615.....173-584.....\$15.79
#460.....224-358.....\$10.99	#620.....824-706.....\$10.99
#465.....170-392.....\$10.99	#621.....665-777.....\$10.99
#465-480.....595-962.....\$15.79	#624.....111-261.....\$10.99
#470-500.....610-822.....\$15.79	#630.....526-208.....\$10.99
#505.....382-117.....\$15.79	#631.....533-238.....\$10.99
#506.....349-079.....\$10.99	#632.....536-667.....\$10.99
#509.....834-220.....\$10.99	#633.....544-214.....\$10.99
#510.....386-450.....\$15.79	#635.....574-919.....\$10.99
#515.....784-360.....\$10.99	#636.....592-179.....\$10.99
#516.....388-847.....\$15.79	#637.....604-859.....\$10.99
#518.....778-677.....\$10.99	#638.....625-508.....\$10.99
#520.....409-441.....\$10.99	#639.....312-799.....\$10.99
#525.....414-715.....\$15.79	#680.....596-271.....\$10.99
#529.....846-661.....\$10.99	8mm Nambu
#531.....220-341.....\$10.99	08-110-RN#.....141-263.....\$15.79
#535.....274-128.....\$10.99	348-200-FN#.....391-743.....\$15.79
#541.....689-098.....\$10.99	35-250-SP#.....619-024.....\$15.79
#546.....290-473.....\$10.99	45-250-RN-HB.....890-917.....\$15.79
#550.....643-219.....\$10.99	45-265-RN-HB.....895-709.....\$15.79
#552.....436-876.....\$10.99	




Top Punch for Lyman and RCBS Sizer/Lubricators

Straight shank type top punch for Lyman 450/4500 Lube Sizers and RCBS Lube-A-Matic Sizer/Lubricator. Blank requires machining to fit the bullet nose.



Top Punch ... Product #..... Price	Top Punch ... Product #..... Price
#22498.....841-765.....\$15.49	#41447.....880-198.....\$15.49
#24243.....841-918.....\$15.49	#41610.....881-561.....\$15.49
#25258.....842-224.....\$15.49	#44191.....882-479.....\$15.49
#26264.....842-400.....\$15.49	#44200.....897-959.....\$15.49
#27273.....842-753.....\$15.49	#44374.....883-972.....\$15.49
#28311.....843-327.....\$15.49	#44421.....884-087.....\$15.49
#28520.....846-251.....\$15.49	#44428.....884-416.....\$15.49
#30200.....897-492.....\$15.49	#44944.....887-272.....\$15.49
#30254.....847-017.....\$15.49	#45015.....887-823.....\$15.49
#30301.....848-142.....\$15.49	#45200.....898-488.....\$15.49
#30329.....849-130.....\$15.49	#45265.....889-384.....\$15.49
#30467.....851-434.....\$15.49	#45375.....891-299.....\$15.49
#30530.....851-833.....\$15.49	#45421.....892-240.....\$15.49
#32323.....854-298.....\$15.49	#45424.....893-167.....\$15.49
#32465.....856-120.....\$15.49	#45429.....894-062.....\$15.49
#32467.....856-318.....\$15.49	#45452.....894-071.....\$15.49
#35200.....897-561.....\$15.49	#45525.....895-095.....\$15.49
#35311.....857-130.....\$15.49	#45701.....896-091.....\$15.49
#35344.....857-589.....\$15.49	#45702.....896-421.....\$15.49
#35353.....859-021.....\$15.49	Blank..... Product #..... Price
#35375.....861-111.....\$15.49	22 Cal.....665-672.....\$15.49
#35381.....862-497.....\$15.49	24 Cal.....424-070.....\$15.49
#35399.....863-906.....\$15.49	25 Cal.....155-536.....\$15.49
#35429.....866-164.....\$15.49	26 Cal.....516-020.....\$15.49
#35465.....871-462.....\$15.49	27 Cal.....386-458.....\$15.49
#35550.....871-638.....\$15.49	28 Cal.....371-221.....\$15.49
#35925.....873-001.....\$15.49	30 Cal.....174-373.....\$15.49
#37570.....873-904.....\$15.49	32 Cal.....810-456.....\$15.49
#40047.....874-984.....\$15.49	35 Cal.....839-408.....\$15.49
#40048.....875-842.....\$15.49	40 Cal.....988-043.....\$15.49
#40101.....875-888.....\$15.49	41 Cal.....951-098.....\$15.49
#40410.....876-301.....\$15.49	
#41415.....880-189.....\$15.49	



Lubri-Sizer

One stroke seats the gas check, swages the bullet and lubricates. Pressurized reservoir lubricates 20 to 50 bullets between turns of the lube control handle. Two parallel guide rods assure proper alignment of the top punch and sizing die for maximum bullet concentricity. Swing-out gas check seater will seat without sizing. Accepts hollow or solid stick lubricant. Top punches and sizing dies sold separately.

Description	Product #	Price
Lubri-Sizer	756-252	\$182.99
Accessories	Product #	Price
Bench Clamp	708-950	\$25.49

Lubri-Sizer Die

Features a unique entrance throat that ensures the bullet feeds into the sizing diameter in absolute straight alignment to eliminate lead shearing.



Description	Product #	Price	Description	Product #	Price
224 Dia	716-124	\$36.99	358 Dia	783-513	\$36.99
225 Dia	716-254	\$36.99	359 Dia	743-448	\$36.99
244 Dia	718-182	\$36.99	360 Dia	745-492	\$36.99
251 Dia	722-516	\$36.99	364 Dia	745-538	\$36.99
258 Dia	722-846	\$36.99	365 Dia	746-786	\$36.99
265 Dia	723-902	\$36.99	366 Dia	747-383	\$36.99
266 Dia	724-384	\$36.99	375 Dia	747-429	\$36.99
278 Dia	725-710	\$36.99	376 Dia	747-781	\$36.99
285 Dia	725-876	\$36.99	377 Dia	749-848	\$36.99
286 Dia	726-674	\$36.99	378 Dia	750-238	\$36.99
308 Dia	726-826	\$36.99	401 Dia	599-499	\$36.99
309 Dia	728-694	\$36.99	408 Dia	751-096	\$36.99
310 Dia	729-201	\$36.99	409 Dia	752-175	\$36.99
311 Dia	731-466	\$36.99	410 Dia	754-480	\$36.99
312 Dia	732-583	\$36.99	411 Dia	269-039	\$36.99
313 Dia	733-005	\$36.99	417 Dia	755-605	\$36.99
314 Dia	733-863	\$36.99	427 Dia	756-064	\$36.99
321 Dia	734-850	\$36.99	428 Dia	756-991	\$36.99
322 Dia	735-318	\$36.99	429 Dia	502-622	\$36.99
323 Dia	737-223	\$36.99	430 Dia	425-472	\$36.99
324 Dia	737-353	\$36.99	431 Dia	757-872	\$36.99
325 Dia	737-706	\$36.99	451 Dia	569-384	\$36.99
338 Dia	737-775	\$36.99	452 Dia	456-342	\$36.99
339 Dia	741-135	\$36.99	454 Dia	759-387	\$36.99
349 Dia	742-507	\$36.99	455 Dia	760-329	\$36.99
354 Dia	742-613	\$36.99	458 Dia	760-811	\$36.99
355 Dia	320-191	\$36.99	459 Dia	762-748	\$36.99
356 Dia	620-853	\$36.99	460 Dia	763-101	\$36.99
357 Dia	541-124	\$36.99			

SAECO

Lubri-Sizer Top Punch

Saeco's exclusive tapered shoulder assures positive alignment with the die body. For use with Saeco Lubri-Sizer only.



Description	Product #	Price	Description	Product #	Price
#22200	840-379	\$15.49	#37200	833-741	\$15.49
#22498	765-497	\$15.49	#37570	803-861	\$15.49
#24243	766-027	\$15.49	#40047	803-990	\$15.49
#25258	766-622	\$15.49	#40048	804-495	\$15.49
#26200	838-419	\$15.49	#40101	804-986	\$15.49
#26264	768-490	\$15.49	#40200	834-270	\$15.49
#27273	769-830	\$15.49	#40410	805-844	\$15.49
#28311	686-447	\$15.49	#41200	836-513	\$15.49
#28520	772-310	\$15.49	#41415	806-234	\$15.49
#30200	828-467	\$15.49	#41447	806-432	\$15.49
#30254	773-283	\$15.49	#41610	808-829	\$15.49
#30301	774-270	\$15.49	#44191	810-743	\$15.49
#30329	774-339	\$15.49	#44200	836-927	\$15.49
#30467	774-669	\$15.49	#44374	812-482	\$15.49
#30530	774-821	\$15.49	#44421	812-657	\$15.49
#32200	830-418	\$15.49	#44428	813-575	\$15.49
#32323	777-149	\$15.49	#44944	814-938	\$15.49
#32465	778-136	\$15.49	#45015	815-030	\$15.49
#32467	778-956	\$15.49	#45200	837-914	\$15.49
#35200	833-121	\$15.49	#45250	186-552	\$15.49
#35311	780-074	\$15.49	#45265	815-558	\$15.49
#35344	781-505	\$15.49	#45375	816-439	\$15.49
#35353	782-271	\$15.49	#45421	819-869	\$15.49
#35375	786-252	\$15.49	#45424	822-150	\$15.49
#35381	787-239	\$15.49	#45429	823-054	\$15.49
#35399	790-562	\$15.49	#45452	823-206	\$15.49
#35429	791-021	\$15.49	#45525	824-110	\$15.49
#35465	795-860	\$15.49	#45701	827-364	\$15.49
#35550	796-802	\$15.49	#45702	827-540	\$15.49
#35925	801-579	\$15.49			

Gas Checks



Copper cups crimp onto the base of the cast bullet to protect it from the hot, burning gases that propel the bullet out of the barrel. Gas checks also aid in the reduction of fouling by minimizing the melting of the base of the bullet.

Hornady	Qty	Prod #	Price	Lyman	Qty	Prod #	Price
22 Cal	1000	127-791	\$22.99	22 Cal	1000	283-300	\$36.99
25 Cal	1000	615-793	\$23.99	25 Cal	1000	190-759	\$36.99
264 Cal				264 Cal			
6.5mm	1000	618-649	\$23.99	6.5mm	1000	388-575	\$36.99
284 Cal, 7mm	1000	296-317	\$27.99	7mm	1000	382-387	\$37.99
30 Cal	1000	253-287	\$28.49	30 Cal	1000	372-451	\$37.99
32 Cal, 8mm	1000	779-596	\$29.49	32 Cal, 8mm	1000	627-245	\$37.99
35 Cal	1000	134-373	\$25.49	35 Cal	1000	412-240	\$37.99
375 Cal	1000	381-078	\$30.49	375 Cal	1000	189-171	\$45.99
416 Cal	1000	418-623	\$35.99	44 Cal	1000	147-755	\$49.99
44 Cal	1000	680-467	\$34.99	45 Cal	1000	160-481	\$49.99
45 Cal	1000	211-316	\$36.49				
475 Cal	1000	172-676	\$37.99				
50 Cal	1000	623-008	\$52.99				


The Art of Bullet Casting DVD-ROM



- Released in 2006
- 258 pp. in PDF Format on CD-ROM

190-166\$24.99

Cast Bullet HandBook Reloading Manual: 3rd Edition



- Edited by Ken Ramage
- Pub. in 1980
- 415 pp. - Softcover

796-528\$15.99

Cast Bullets for the Black Powder Cartridge Rifle



- By Paul A. Matthews
- Pub. in 1996

592-587\$18.99

RCBS Bullet Casting VHS



- 15 Mins
- Learn the basics of bullet casting

891-754\$19.99

Larry Potterfield, our Founder and CEO, casting bullets by the fire at the Nail Ranch in Texas, 2003.



Thanks for Your Business!
Larry Potterfield

